

The Optical Gravitational Lensing Experiment.
 The Catalog of Periodic Variable Stars in the Galactic Bulge.
 V. Periodic Variables in Fields:
 MM5-A, MM5-B, MM7-A and MM7-B*

A. Udalski¹, A. Olech¹, M. Szymański¹, J. Kałużny¹,
 M. Kubiak¹, M. Mateo², W. Krzeminski³ and K. Z. Stanek⁴

¹Warsaw University Observatory, Al. Ujazdowskie 4, 00-478 Warszawa, Poland
 e-mail: (udalski,olech,msz,jka,mk)@sirius.astrouw.edu.pl

²Department of Astronomy, University of Michigan, 821 Dennison Bldg., Ann Arbor,
 MI 48109-1090, USA
 e-mail: mateo@astro.lsa.umich.edu

³Carnegie Observatories, Las Campanas Observatory, Casilla 601, La Serena, Chile
 e-mail: wojtek@roses.ctio.noao.edu

⁴Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, MS 20, Cambridge,
 MA 02138
 e-mail: kstanek@cfa.harvard.edu

Abstract

We present the fifth part of the OGLE Catalog of Periodic Variable Stars in the Galactic bulge. 574 variable stars: 44 pulsating, 369 eclipsing and 161 miscellaneous type were detected in four fields located symmetrically in galactic latitude around the Galactic center: MM5-A, MM5-B, MM7-A and MM7-B.

The Catalog and individual observations are available in digital form from the OGLE Internet archive.

Key words: Catalogs – Stars: variables

1 Introduction

The huge databases of photometric observations collected during microlensing searches provide an unique material for studying stellar variability. Data collected during the Optical Gravitational Lensing Experiment (OGLE) – long term observing project with the main goal of searching for dark matter in our Galaxy with microlensing phenomena (Paczynski 1986, Udalski et al. 1994a) – have already been searched for variable stars and four parts of the OGLE Catalog of Periodic Variable Stars have been published (Udalski et al. 1994b, 1995a,

*Based on observations obtained at the Las Campanas Observatory of the Carnegie Institution of Washington

1995b, 1996 hereafter referred as Paper I–IV). The Catalog includes 2287 periodic objects from the Baade’s Window in the Galactic bulge. Paper III presents also simple analysis of the completeness of the Catalog.

This paper is a continuation of the Catalog and presents periodic variable stars found in four fields located symmetrically in galactic longitude around the Galactic center.

2 The Catalog

The photometric data presented here were collected during four observing seasons of the OGLE microlensing search starting from April 13, 1992 through August 19, 1995. Observations were made at Las Campanas Observatory, Chile which is operated by Carnegie Institution of Washington. 1-m Swope telescope equipped with 2048×2048 Ford/Loral CCD detector was used. Details of data pipeline, reduction technique and period search technique can be found in Paper I.

Present edition of the Catalog contains periodic variable stars with $\langle I \rangle$ brighter than 18 mag. In the following updates the Catalog will be extended toward fainter stars. There is also a lower limit of magnitude: $I \approx 14$ – resulting from saturation of stellar images on CCD frames. The period search was limited to periods within 0.1–100 days range.

This part of the Catalog presents variable stars from four fields: MM5-A, MM5-B, MM7-A and MM7-B. Each of the fields covers approximately $15' \times 15'$ on the sky. Equatorial and galactic coordinates of these fields are given in Table 1. Fields MM5-A and MM5-B as well as MM7-A and MM7-B overlap by about $1'$. Variable objects detected in the overlapping regions appear in the Catalog only once.

Table 1
Coordinates of MM5-A, MM5-B, MM7-A and MM7-B fields.

Field	α_{2000}	δ_{2000}	l	b
MM5-A	$17^h 47^m 30^s$	$-34^\circ 45' 00''$	−4.8	−3.4
MM5-B	$17^h 47^m 30^s$	$-34^\circ 57' 00''$	−4.9	−3.5
MM7-A	$18^h 10^m 53^s$	$-25^\circ 54' 20''$	5.4	−3.3
MM7-B	$18^h 11^m 47^s$	$-25^\circ 54' 20''$	5.5	−3.5

The structure of the Catalog is identical as in the previous parts (Papers I–IV). Detected variable stars from each field are grouped into three categories: pulsating stars, eclipsing stars and miscellaneous type variables. The latter category consists of stars which cannot be classified unambiguously as pulsating or eclipsing stars. It contains mostly late type, chromospherically active stars, and likely some ellipsoidal variables.

For every field and group of stars the Catalog consists of a table with basic parameters for every periodic variable object and an atlas containing the phased light curves and $30'' \times 30''$ finding charts – part of the I -band frames. North is up and East is to the left on these charts.

The basic parameters for every object include star designation, right ascension and declination (J2000), period in days and heliocentric Julian Date of maximum light (minimum for eclipsing variables), I magnitude at maximum brightness, $V - I$ color at maximum brightness, I -band amplitude, classification and eventual remarks.

Designation of the object follows the scheme introduced in Paper I: OGLE *field Vnumber*, e.g. OGLE MM5-A V22. The variable stars in every field are initially sorted according to magnitude. Thus lower number means brighter star.

The equatorial coordinates of variable stars were calculated using transformation derived from position of stars from the HST Guide Star Catalog (Lasker et al. 1988). Typically about 15–20 GSC stars were identified in each field. Accuracy of coordinates is about 1 arcsec.

Because of strategy adopted in the microlensing search, the vast majority of measurements was obtained in the *I*-band (typically 90–150 observations). About 30 or less *V*-band measurements were collected for each field during the entire search for color information.

Classification within pulsating and eclipsing star groups follows the scheme of the General Catalog of Variable Stars (Kholopov et al. 1985).

3 Catalog of Periodic Variable Stars of the MM5-A, MM5-B, MM7-A and MM7-B Fields

Tables 2–13 and Appendices A–L contain the catalog of pulsating, eclipsing and miscellaneous periodic stars for fields MM5-A, MM5-B, MM7-A and MM7-B, respectively.

44 variable stars were classified as pulsating. Most of them are RR Lyr stars type *ab* and *c*. Remaining objects are short period δ Sct type pulsating stars. The periods of some of them fall below the lower limit (0.1 day) of period search, but these stars were identified with $2 \times P$ period. Thus they probably do not represent complete sample of this type of stars.

369 eclipsing stars were identified in MM fields. The vast majority (277) of eclipsing objects belong to W UMa type (EW). 60 Algol-type (EA) and 13 β Lyr-type (EB) stars were also identified. Many of Algol-type objects are detached systems ideal for precise determination of their parameters and distances with follow-up spectroscopic observations. 19 objects were classified as eclipsing (E) when the type of eclipse could not be determined unambiguously.

The group of miscellaneous stars contains 161 objects. Most of them are red giants and subgiants, probably chromospherically active stars. Some objects in this group might be ellipsoidal variables what is indicated in the "Remarks" column. In such a case the period should be twice of that given in the Table.

4 Summary

We present the fifth part of the OGLE Catalog of Periodic Variable Stars in the Galactic bulge – periodic variable stars from MM5-A, MM5-B, MM7-A and MM7-B fields. 574 periodic stars were detected: 44 pulsating, 369 eclipsing and 161 miscellaneous type stars increasing the total number of periodic variable objects in the Catalog to 2861.

The Catalog is supposed to be an open publication and regular updates are expected when more data become available and search for variables among fainter objects will be completed. Some errors, unavoidable in this first release of the Catalog, will also be corrected. Therefore we expect a feedback from the astronomical community when any errors, misclassification *etc.* are found.

The Catalog and all individual observations of cataloged variable stars in both *V* and *I* bands (JD hel., magnitude, error) are available to the astronomical community from the OGLE Internet archive using anonymous ftp service from sirius.astro.uw.edu.pl host (148.81.8.1), directory */ogle/var_catalog*. See README file in this directory.

Acknowledgments It is a great pleasure to thank B. Paczyński for valuable suggestions

and discussions. This project was supported with the Polish KBN grants 2P03D02908 to A. Udalski and 2P03D02508 to M. Szymański and the NSF grant AST-9530478 to B. Paczyński.

Table 2
Pulsating Variable Stars in the MM5-A field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM5-A V6	17 ^h 47 ^m 19. ^s 08	-34°52'45."6	0. ^d 51202	724.0593	15. ^m 10	1. ^m 05	0. ^m 69	RRab
MM5-A V9	17 ^h 47 ^m 21. ^s 15	-34°40'20."8	0. ^d 51619	724.5310	15. ^m 27	1. ^m 25	0. ^m 72	RRab
MM5-A V15	17 ^h 47 ^m 50. ^s 53	-34°49'25."7	0. ^d 60022	724.3209	15. ^m 49	1. ^m 21	0. ^m 49	RRab
MM5-A V18	17 ^h 47 ^m 00. ^s 83	-34°50'02."0	0. ^d 52667	724.2808	15. ^m 54	1. ^m 31	0. ^m 74	RRab
MM5-A V19	17 ^h 47 ^m 33. ^s 22	-34°39'20."4	0. ^d 61251	724.2349	15. ^m 55	1. ^m 36	0. ^m 66	RRab
MM5-A V20	17 ^h 46 ^m 49. ^s 25	-34°52'02."2	0. ^d 39119	724.5387	15. ^m 58	1. ^m 08	0. ^m 25	RRc
MM5-A V21	17 ^h 47 ^m 56. ^s 90	-34°47'37."6	0. ^d 46382	724.6302	15. ^m 58	1. ^m 32	0. ^m 88	RRab
MM5-A V24	17 ^h 46 ^m 46. ^s 08	-34°43'49."6	0. ^d 37939	724.3459	15. ^m 71	1. ^m 33	0. ^m 18	RRc
MM5-A V27	17 ^h 47 ^m 50. ^s 04	-34°39'27."2	0. ^d 62157	724.5480	15. ^m 88	1. ^m 43	0. ^m 25	RRab
MM5-A V32	17 ^h 47 ^m 17. ^s 80	-34°39'56."0	0. ^d 54469	724.8244	16. ^m 00	1. ^m 33	0. ^m 57	RRab
MM5-A V37	17 ^h 46 ^m 51. ^s 66	-34°41'37."4	0. ^d 45791	724.5904	16. ^m 10	1. ^m 18	0. ^m 85	RRab
MM5-A V41	17 ^h 47 ^m 35. ^s 97	-34°44'16."1	0. ^d 58450	724.2417	16. ^m 15	1. ^m 21	0. ^m 72	RRab
MM5-A V46	17 ^h 46 ^m 51. ^s 30	-34°50'21."4	0. ^d 37019	724.6987	16. ^m 29	1. ^m 23	0. ^m 45	RRab
MM5-A V74	17 ^h 46 ^m 55. ^s 73	-34°48'37."8	0. ^d 094555	724.8681	16. ^m 97	1. ^m 11	0. ^m 05	DSCT
MM5-A V80	17 ^h 47 ^m 56. ^s 81	-34°48'11."1	0. ^d 116682	724.8190	17. ^m 07	0. ^m 89	0. ^m 30	DSCT

Table 3
Pulsating Variable Stars in the MM5-B field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM5-B V4	17 ^h 47 ^m 22. ^s 44	-34°56'42."2	0. ^d 52489	724.6038	14. ^m 89	1. ^m 08	0. ^m 56	RRab
MM5-B V10	17 ^h 46 ^m 48. ^s 22	-34°51'33."2	0. ^d 52391	724.4030	15. ^m 40	1. ^m 02	0. ^m 72	RRab
MM5-B V20	17 ^h 47 ^m 14. ^s 69	-34°54'37."6	0. ^d 64994	724.4972	15. ^m 66	1. ^m 15	0. ^m 46	RRab
MM5-B V21	17 ^h 46 ^m 51. ^s 35	-34°56'44."6	0. ^d 50359	724.3261	15. ^m 69	—	0. ^m 71	RRab
MM5-B V28	17 ^h 46 ^m 55. ^s 14	-34°59'55."1	0. ^d 47995	724.4437	15. ^m 88	1. ^m 06	0. ^m 62	RRab
MM5-B V31	17 ^h 47 ^m 29. ^s 18	-34°59'33."4	0. ^d 36456	724.5393	15. ^m 97	1. ^m 11	0. ^m 83	RRab
MM5-B V41	17 ^h 47 ^m 51. ^s 30	-35°02'06."3	0. ^d 25745	724.9370	16. ^m 15	0. ^m 94	0. ^m 30	RRc
MM5-B V44	17 ^h 47 ^m 46. ^s 43	-34°52'57."4	0. ^d 52311	724.2479	16. ^m 22	1. ^m 13	0. ^m 75	RRab
MM5-B V60	17 ^h 47 ^m 09. ^s 79	-34°56'45."2	0. ^d 126671	724.8166	16. ^m 56	1. ^m 02	0. ^m 34	DSCT
MM5-B V141	17 ^h 47 ^m 22. ^s 68	-34°58'15."4	0. ^d 180212	724.9432	17. ^m 82	1. ^m 36	0. ^m 24	DSCT

Table 4
Pulsating Variable Stars in the MM7-A field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM7-A V2	18 ^h 11 ^m 00. ^s 10	-25°57'38."7	0. ^d 54078	724.3705	14. ^m 76	1. ^m 05	0. ^m 69	RRab
MM7-A V16	18 ^h 11 ^m 14. ^s 74	-25°51'48."4	0. ^d 56710	724.3438	15. ^m 48	1. ^m 12	0. ^m 74	RRab
MM7-A V20	18 ^h 11 ^m 18. ^s 69	-26°00'42."6	0. ^d 52984	724.3072	15. ^m 53	1. ^m 33	0. ^m 83	RRab
MM7-A V25	18 ^h 10 ^m 32. ^s 01	-25°59'37."3	0. ^d 49380	724.6095	15. ^m 56	2. ^m 49	0. ^m 66	RRab
MM7-A V26	18 ^h 10 ^m 48. ^s 98	-25°56'30."4	0. ^d 44361	724.6831	15. ^m 61	1. ^m 14	0. ^m 88	RRab
MM7-A V34	18 ^h 11 ^m 12. ^s 64	-25°49'38."7	0. ^d 53049	724.5836	15. ^m 76	1. ^m 18	0. ^m 57	RRab
MM7-A V44	18 ^h 10 ^m 54. ^s 53	-25°49'42."4	0. ^d 22759	724.8193	16. ^m 00	0. ^m 94	0. ^m 26	RRc
MM7-A V47	18 ^h 10 ^m 35. ^s 63	-25°52'52."4	0. ^d 28782	724.6755	16. ^m 04	1. ^m 24	0. ^m 29	RRc
MM7-A V88	18 ^h 10 ^m 48. ^s 71	-25°52'58."8	0. ^d 15886	724.7994	16. ^m 87	1. ^m 18	0. ^m 41	DSCT
MM7-A V94	18 ^h 10 ^m 49. ^s 76	-25°48'23."7	0. ^d 27499	724.7304	16. ^m 91	1. ^m 30	0. ^m 25	RRc
MM7-A V103	18 ^h 10 ^m 28. ^s 67	-25°49'11."3	0. ^d 078847	724.9533	17. ^m 06	1. ^m 12	0. ^m 11	DSCT

Table 5
Pulsating Variable Stars in the MM7-B field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM7-B V6	18 ^h 12 ^m 03. ^s 45	-25°58'22."9	0. ^d 53913	724.5066	15. ^m 32	1. ^m 15	0. ^m 66	RRab
MM7-B V7	18 ^h 11 ^m 51. ^s 16	-25°58'12."1	0. ^d 59002	724.4478	15. ^m 40	1. ^m 20	0. ^m 62	RRab
MM7-B V8	18 ^h 12 ^m 00. ^s 30	-25°53'20."2	0. ^d 55940	724.5959	15. ^m 43	1. ^m 20	0. ^m 51	RRab
MM7-B V12	18 ^h 11 ^m 36. ^s 75	-25°49'07."0	0. ^d 88121	723.7237	15. ^m 58	1. ^m 45	0. ^m 26	RRab
MM7-B V13	18 ^h 11 ^m 40. ^s 12	-25°51'03."1	0. ^d 53321	724.1109	15. ^m 59	1. ^m 40	0. ^m 52	RRab
MM7-B V14	18 ^h 11 ^m 33. ^s 48	-25°55'08."6	0. ^d 28675	724.8570	15. ^m 65	1. ^m 11	0. ^m 25	RRc
MM7-B V63	18 ^h 11 ^m 47. ^s 91	-25°52'23."5	0. ^d 61806	724.7452	16. ^m 99	1. ^m 37	0. ^m 74	RRab
MM7-B V87	18 ^h 11 ^m 55. ^s 38	-25°55'19."7	0. ^d 065833	725.0135	17. ^m 48	1. ^m 03	0. ^m 04	DSCT

Table 6
Eclipsing Variable Stars in the MM5-A field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM5-A V3	17 ^h 47 ^m 26. ^s 92	-34°43'16."8	0. ^d 64733	724.1143	14. ^m 80	0. ^m 88	0. ^m 86	EW
MM5-A V7	17 ^h 47 ^m 14. ^s 16	-34°38'39."9	12. ^d 58860	713.4463	15. ^m 18	—	0. ^m 20	E?
MM5-A V13	17 ^h 47 ^m 01. ^s 69	-34°46'03."0	0. ^d 42779	724.5659	15. ^m 38	1. ^m 34	0. ^m 21	EW
MM5-A V14	17 ^h 47 ^m 46. ^s 81	-34°49'36."7	2. ^d 09976	722.3363	15. ^m 49	1. ^m 18	0. ^m 28	EA
MM5-A V22	17 ^h 47 ^m 47. ^s 36	-34°50'22."3	0. ^d 35988	724.6137	15. ^m 63	1. ^m 27	0. ^m 38	EW
MM5-A V23	17 ^h 47 ^m 49. ^s 43	-34°38'52."7	0. ^d 40536	724.6236	15. ^m 67	—	0. ^m 29	EW
MM5-A V30	17 ^h 47 ^m 46. ^s 58	-34°39'09."2	0. ^d 65604	724.7451	15. ^m 98	1. ^m 34	0. ^m 10	EW
MM5-A V33	17 ^h 47 ^m 21. ^s 92	-34°40'49."3	0. ^d 48902	724.3222	16. ^m 04	1. ^m 30	0. ^m 37	EW
MM5-A V39	17 ^h 47 ^m 53. ^s 30	-34°50'51."8	0. ^d 37008	724.6759	16. ^m 13	0. ^m 88	0. ^m 36	EW
MM5-A V42	17 ^h 47 ^m 07. ^s 50	-34°45'00."1	1. ^d 43179	723.6768	16. ^m 21	1. ^m 21	0. ^m 19	EB
MM5-A V43	17 ^h 47 ^m 39. ^s 05	-34°39'08."9	3. ^d 00030	720.4350	16. ^m 20	1. ^m 49	0. ^m 65	EA
MM5-A V44	17 ^h 47 ^m 26. ^s 18	-34°45'32."6	0. ^d 35545	724.5891	16. ^m 26	1. ^m 30	0. ^m 25	EW
MM5-A V47	17 ^h 47 ^m 28. ^s 25	-34°46'31."0	1. ^d 10577	723.7786	16. ^m 32	1. ^m 20	0. ^m 26	EW
MM5-A V50	17 ^h 47 ^m 17. ^s 79	-34°46'22."0	1. ^d 08200	724.5429	16. ^m 46	1. ^m 50	0. ^m 15	EW
MM5-A V54	17 ^h 47 ^m 49. ^s 15	-34°39'18."5	6. ^d 38458	721.2912	16. ^m 50	1. ^m 70	1. ^m 07	EA
MM5-A V55	17 ^h 47 ^m 43. ^s 10	-34°39'19."3	0. ^d 31935	724.6135	16. ^m 52	1. ^m 34	0. ^m 13	EW
MM5-A V56	17 ^h 47 ^m 41. ^s 90	-34°49'33."0	1. ^d 41089	723.1432	16. ^m 57	1. ^m 12	0. ^m 55	EA
MM5-A V57	17 ^h 47 ^m 14. ^s 01	-34°49'18."5	0. ^d 94887	724.8921	16. ^m 57	1. ^m 32	0. ^m 34	EW
MM5-A V60	17 ^h 47 ^m 32. ^s 56	-34°50'39."7	0. ^d 35170	724.6079	16. ^m 62	1. ^m 38	0. ^m 46	EW
MM5-A V63	17 ^h 47 ^m 26. ^s 16	-34°47'10."8	3. ^d 83990	718.2878	16. ^m 67	1. ^m 71	0. ^m 47	EB
MM5-A V64	17 ^h 47 ^m 22. ^s 04	-34°46'36."2	0. ^d 71492	724.3634	16. ^m 68	1. ^m 21	0. ^m 15	EW
MM5-A V66	17 ^h 47 ^m 06. ^s 16	-34°51'17."6	0. ^d 79391	724.0697	16. ^m 69	1. ^m 36	0. ^m 23	EW
MM5-A V67	17 ^h 47 ^m 21. ^s 84	-34°47'08."1	0. ^d 85671	724.6738	16. ^m 71	1. ^m 03	0. ^m 27	EW
MM5-A V69	17 ^h 46 ^m 50. ^s 07	-34°40'27."7	3. ^d 26182	723.2191	16. ^m 75	1. ^m 38	1. ^m 86	EA
MM5-A V71	17 ^h 47 ^m 19. ^s 76	-34°46'41."1	2. ^d 77757	724.1303	16. ^m 84	1. ^m 15	0. ^m 95	EA
MM5-A V72	17 ^h 47 ^m 06. ^s 44	-34°47'28."4	0. ^d 73260	724.0352	16. ^m 87	1. ^m 02	0. ^m 28	EW
MM5-A V75	17 ^h 47 ^m 42. ^s 09	-34°44'26."2	0. ^d 62816	724.8263	16. ^m 97	1. ^m 32	0. ^m 24	EW
MM5-A V76	17 ^h 47 ^m 34. ^s 75	-34°42'18."2	1. ^d 83729	723.0765	16. ^m 99	1. ^m 15	0. ^m 68	EA
MM5-A V78	17 ^h 47 ^m 08. ^s 28	-34°53'16."1	0. ^d 68468	723.8218	17. ^m 05	1. ^m 65	0. ^m 16	EW
MM5-A V79	17 ^h 47 ^m 28. ^s 83	-34°52'12."5	0. ^d 33458	724.3744	17. ^m 06	—	0. ^m 43	EW
MM5-A V83	17 ^h 47 ^m 30. ^s 84	-34°48'29."3	0. ^d 29701	724.6293	17. ^m 11	1. ^m 42	0. ^m 13	EW
MM5-A V84	17 ^h 47 ^m 49. ^s 76	-34°48'17."3	0. ^d 30393	724.8354	17. ^m 17	1. ^m 37	0. ^m 23	EW
MM5-A V85	17 ^h 46 ^m 59. ^s 24	-34°53'23."3	0. ^d 79989	724.6979	17. ^m 18	1. ^m 30	0. ^m 14	EW
MM5-A V88	17 ^h 46 ^m 52. ^s 60	-34°44'28."7	0. ^d 70608	724.0879	17. ^m 21	1. ^m 34	0. ^m 25	EW

Table 6
Concluded

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM5-A V89	17 ^h 47 ^m 50. ^s 04	-34°45'07."5	0. ^d 51219	724.4861	17. ^m 23	1. ^m 37	0. ^m 20	EW
MM5-A V90	17 ^h 47 ^m 08. ^s 17	-34°43'16."6	2. ^d 39688	724.0291	17. ^m 31	1. ^m 76	0. ^m 44	EA
MM5-A V91	17 ^h 47 ^m 25. ^s 95	-34°45'24."1	2. ^d 26790	722.6368	17. ^m 31	1. ^m 27	1. ^m 30	EA
MM5-A V92	17 ^h 46 ^m 50. ^s 16	-34°45'55."0	0. ^d 33091	724.6747	17. ^m 33	1. ^m 49	0. ^m 14	EW
MM5-A V94	17 ^h 46 ^m 54. ^s 60	-34°39'45."5	0. ^d 42404	724.6509	17. ^m 37	1. ^m 24	0. ^m 17	EW
MM5-A V95	17 ^h 46 ^m 50. ^s 14	-34°44'54."3	0. ^d 26055	724.6891	17. ^m 37	1. ^m 93	0. ^m 78	EW
MM5-A V96	17 ^h 47 ^m 28. ^s 27	-34°47'38."1	0. ^d 64488	724.2067	17. ^m 40	—	0. ^m 15	EW
MM5-A V98	17 ^h 47 ^m 11. ^s 68	-34°49'41."5	0. ^d 91813	723.5957	17. ^m 41	1. ^m 11	0. ^m 21	EA
MM5-A V100	17 ^h 46 ^m 51. ^s 43	-34°52'16."2	0. ^d 73323	724.1299	17. ^m 45	1. ^m 16	0. ^m 30	EW
MM5-A V101	17 ^h 46 ^m 52. ^s 80	-34°48'27."6	0. ^d 77947	724.7068	17. ^m 45	1. ^m 45	0. ^m 43	EW
MM5-A V102	17 ^h 47 ^m 24. ^s 04	-34°47'25."5	0. ^d 46899	724.1501	17. ^m 46	1. ^m 12	0. ^m 12	EW
MM5-A V103	17 ^h 47 ^m 22. ^s 32	-34°40'48."6	0. ^d 70590	724.9494	17. ^m 45	1. ^m 29	0. ^m 33	EW
MM5-A V104	17 ^h 47 ^m 28. ^s 89	-34°44'21."6	2. ^d 25213	721.1546	17. ^m 46	1. ^m 10	0. ^m 81	EA
MM5-A V105	17 ^h 46 ^m 55. ^s 28	-34°48'02."7	0. ^d 75467	724.0960	17. ^m 47	1. ^m 29	0. ^m 46	EW
MM5-A V106	17 ^h 47 ^m 43. ^s 58	-34°51'10."9	0. ^d 45616	724.6763	17. ^m 49	1. ^m 14	0. ^m 29	EW
MM5-A V107	17 ^h 47 ^m 14. ^s 83	-34°40'09."2	1. ^d 20040	724.2307	17. ^m 50	1. ^m 31	0. ^m 73	EA
MM5-A V108	17 ^h 47 ^m 32. ^s 48	-34°42'10."5	0. ^d 57745	724.2586	17. ^m 51	1. ^m 53	0. ^m 13	EW
MM5-A V109	17 ^h 47 ^m 29. ^s 18	-34°43'27."2	0. ^d 31096	724.7741	17. ^m 52	1. ^m 42	0. ^m 13	EW
MM5-A V111	17 ^h 46 ^m 51. ^s 98	-34°46'37."3	0. ^d 79779	724.0455	17. ^m 58	1. ^m 29	0. ^m 78	EW
MM5-A V112	17 ^h 47 ^m 02. ^s 99	-34°48'58."4	0. ^d 53881	724.5497	17. ^m 58	1. ^m 27	0. ^m 18	EW
MM5-A V113	17 ^h 47 ^m 17. ^s 75	-34°51'44."8	3. ^d 01871	723.4339	17. ^m 60	1. ^m 70	0. ^m 25	E?
MM5-A V114	17 ^h 47 ^m 30. ^s 77	-34°42'31."7	0. ^d 66026	724.5442	17. ^m 61	1. ^m 15	0. ^m 41	EW
MM5-A V115	17 ^h 47 ^m 11. ^s 06	-34°39'36."0	0. ^d 41814	724.2837	17. ^m 61	1. ^m 50	0. ^m 36	EW
MM5-A V116	17 ^h 47 ^m 34. ^s 79	-34°44'30."0	0. ^d 68131	724.7026	17. ^m 62	1. ^m 06	0. ^m 24	EW
MM5-A V117	17 ^h 47 ^m 45. ^s 30	-34°48'28."7	0. ^d 69989	724.1321	17. ^m 62	1. ^m 12	0. ^m 64	EW
MM5-A V118	17 ^h 46 ^m 59. ^s 45	-34°50'27."6	0. ^d 47660	724.4887	17. ^m 63	0. ^m 97	0. ^m 33	EW
MM5-A V119	17 ^h 47 ^m 37. ^s 97	-34°38'31."0	0. ^d 58942	724.7443	17. ^m 63	1. ^m 39	0. ^m 23	EW
MM5-A V120	17 ^h 47 ^m 50. ^s 63	-34°51'24."8	0. ^d 47464	724.6685	17. ^m 65	0. ^m 48	0. ^m 23	EW
MM5-A V121	17 ^h 47 ^m 05. ^s 45	-34°44'52."1	0. ^d 92884	724.4367	17. ^m 66	1. ^m 59	0. ^m 23	EW
MM5-A V122	17 ^h 47 ^m 08. ^s 36	-34°47'21."2	1. ^d 02604	723.8579	17. ^m 69	0. ^m 98	0. ^m 35	EA
MM5-A V123	17 ^h 46 ^m 51. ^s 30	-34°52'43."8	0. ^d 66113	724.4630	17. ^m 70	1. ^m 28	0. ^m 46	EW
MM5-A V124	17 ^h 46 ^m 58. ^s 32	-34°48'15."4	0. ^d 95621	724.7603	17. ^m 73	1. ^m 10	0. ^m 39	EW
MM5-A V125	17 ^h 47 ^m 34. ^s 75	-34°40'24."3	0. ^d 38960	724.3003	17. ^m 74	1. ^m 28	0. ^m 35	EW
MM5-A V126	17 ^h 47 ^m 40. ^s 82	-34°51'54."4	0. ^d 36536	724.6466	17. ^m 75	1. ^m 14	0. ^m 13	EW
MM5-A V127	17 ^h 46 ^m 58. ^s 25	-34°48'36."8	0. ^d 40431	724.7156	17. ^m 76	1. ^m 20	0. ^m 20	EW
MM5-A V128	17 ^h 47 ^m 16. ^s 01	-34°47'07."3	0. ^d 28797	724.8107	17. ^m 77	1. ^m 58	0. ^m 25	EW
MM5-A V129	17 ^h 47 ^m 52. ^s 44	-34°50'51."6	0. ^d 44297	724.5492	17. ^m 79	1. ^m 43	0. ^m 17	EW
MM5-A V130	17 ^h 47 ^m 08. ^s 21	-34°51'22."7	2. ^d 23579	723.8124	17. ^m 82	1. ^m 36	0. ^m 16	E
MM5-A V131	17 ^h 47 ^m 14. ^s 99	-34°49'42."2	2. ^d 03118	722.9234	17. ^m 82	1. ^m 27	1. ^m 68	EA
MM5-A V132	17 ^h 47 ^m 34. ^s 65	-34°39'39."0	0. ^d 92520	724.2873	17. ^m 83	1. ^m 39	0. ^m 31	EW
MM5-A V133	17 ^h 47 ^m 42. ^s 40	-34°47'57."3	0. ^d 35792	724.6176	17. ^m 85	1. ^m 44	0. ^m 21	EW
MM5-A V134	17 ^h 46 ^m 49. ^s 98	-34°44'11."4	0. ^d 57285	724.1139	17. ^m 87	1. ^m 20	0. ^m 16	EW
MM5-A V135	17 ^h 47 ^m 48. ^s 05	-34°47'18."0	0. ^d 41757	724.8380	17. ^m 88	1. ^m 42	0. ^m 18	EW
MM5-A V136	17 ^h 47 ^m 23. ^s 07	-34°45'41."4	0. ^d 32817	724.6296	17. ^m 90	1. ^m 32	0. ^m 17	EW

Table 7
Eclipsing Variable Stars in the MM5-B field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM5-B V2	17 ^h 47 ^m 24. ^s 90	-35°04'07."7	0. ^d 29988	724.5883	14. ^m 84	1. ^m 26	0. ^m 81	EW
MM5-B V5	17 ^h 47 ^m 21. ^s 08	-35°00'50."5	0. ^d 44528	724.8067	15. ^m 03	1. ^m 17	0. ^m 31	EW
MM5-B V7	17 ^h 47 ^m 20. ^s 66	-34°58'35."3	16. ^d 48713	698.1640	15. ^m 20	1. ^m 82	0. ^m 22	EA
MM5-B V8	17 ^h 47 ^m 18. ^s 99	-34°53'44."8	0. ^d 35998	724.8240	15. ^m 27	1. ^m 24	0. ^m 06	EW
MM5-B V13	17 ^h 46 ^m 52. ^s 82	-34°54'13."7	0. ^d 39692	724.4552	15. ^m 56	1. ^m 36	0. ^m 43	EW
MM5-B V14	17 ^h 47 ^m 02. ^s 16	-35°00'38."3	1. ^d 24016	723.1572	15. ^m 58	1. ^m 15	0. ^m 77	EA
MM5-B V18	17 ^h 47 ^m 40. ^s 23	-35°00'36."3	1. ^d 46017	723.3887	15. ^m 62	1. ^m 29	0. ^m 09	EW?
MM5-B V19	17 ^h 47 ^m 58. ^s 49	-34°59'55."1	0. ^d 41844	724.4678	15. ^m 64	1. ^m 20	0. ^m 40	EW
MM5-B V23	17 ^h 47 ^m 25. ^s 13	-35°02'59."1	0. ^d 35348	724.7418	15. ^m 72	1. ^m 25	0. ^m 26	EW
MM5-B V24	17 ^h 47 ^m 25. ^s 01	-34°57'08."1	2. ^d 89729	723.0245	15. ^m 73	1. ^m 68	0. ^m 15	EB
MM5-B V25	17 ^h 47 ^m 29. ^s 99	-34°53'31."5	5. ^d 68488	720.3766	15. ^m 77	1. ^m 84	0. ^m 11	E?
MM5-B V27	17 ^h 46 ^m 54. ^s 34	-34°54'25."6	2. ^d 94991	721.7427	15. ^m 83	1. ^m 90	0. ^m 14	E?
MM5-B V29	17 ^h 46 ^m 58. ^s 42	-34°59'37."8	0. ^d 68198	724.4019	15. ^m 88	1. ^m 27	0. ^m 25	EW
MM5-B V30	17 ^h 47 ^m 59. ^s 15	-35°00'39."9	0. ^d 47932	724.4572	15. ^m 90	1. ^m 05	0. ^m 31	EW
MM5-B V32	17 ^h 47 ^m 16. ^s 73	-34°59'30."4	0. ^d 43218	724.5550	15. ^m 98	1. ^m 20	0. ^m 48	EW
MM5-B V35	17 ^h 48 ^m 00. ^s 24	-35°02'48."9	1. ^d 05804	724.6484	16. ^m 07	1. ^m 17	0. ^m 62	EA
MM5-B V36	17 ^h 47 ^m 44. ^s 98	-35°04'09."8	0. ^d 46838	724.2508	16. ^m 09	1. ^m 47	0. ^m 13	EW
MM5-B V38	17 ^h 47 ^m 21. ^s 52	-34°54'57."6	18. ^d 21521	702.7534	16. ^m 09	1. ^m 79	0. ^m 11	E
MM5-B V40	17 ^h 47 ^m 28. ^s 62	-34°51'03."5	2. ^d 62068	723.9198	16. ^m 12	1. ^m 26	0. ^m 53	EA
MM5-B V43	17 ^h 47 ^m 39. ^s 55	-34°59'41."2	1. ^d 32034	724.5273	16. ^m 20	1. ^m 34	0. ^m 21	EW
MM5-B V46	17 ^h 47 ^m 29. ^s 01	-35°03'38."9	1. ^d 14805	723.5757	16. ^m 27	1. ^m 20	0. ^m 31	EW
MM5-B V47	17 ^h 46 ^m 57. ^s 26	-34°58'05."7	0. ^d 40516	724.5958	16. ^m 27	1. ^m 46	0. ^m 49	EW
MM5-B V49	17 ^h 47 ^m 32. ^s 16	-34°58'21."3	0. ^d 47438	724.3816	16. ^m 29	1. ^m 22	0. ^m 30	EW
MM5-B V51	17 ^h 47 ^m 17. ^s 06	-34°57'19."2	10. ^d 72496	717.0708	16. ^m 29	1. ^m 86	0. ^m 21	EB
MM5-B V53	17 ^h 47 ^m 41. ^s 54	-34°54'12."8	2. ^d 78576	723.7899	16. ^m 33	1. ^m 17	0. ^m 42	EA
MM5-B V55	17 ^h 46 ^m 54. ^s 69	-34°56'54."4	2. ^d 04634	724.0278	16. ^m 40	1. ^m 38	0. ^m 21	EA
MM5-B V56	17 ^h 47 ^m 19. ^s 41	-34°55'58."3	0. ^d 40476	724.7507	16. ^m 40	1. ^m 74	0. ^m 06	EW?
MM5-B V58	17 ^h 47 ^m 22. ^s 71	-35°00'53."9	2. ^d 95279	721.5354	16. ^m 53	—	1. ^m 13	E?
MM5-B V61	17 ^h 47 ^m 12. ^s 61	-35°04'22."1	0. ^d 36562	724.3590	16. ^m 56	1. ^m 39	0. ^m 32	EW
MM5-B V62	17 ^h 47 ^m 59. ^s 04	-34°59'44."5	0. ^d 23997	724.8702	16. ^m 55	1. ^m 80	0. ^m 19	EW
MM5-B V65	17 ^h 47 ^m 21. ^s 14	-35°03'22."1	1. ^d 22251	722.7736	16. ^m 61	1. ^m 34	0. ^m 25	E
MM5-B V66	17 ^h 47 ^m 13. ^s 82	-34°55'22."2	1. ^d 08398	724.0217	16. ^m 61	1. ^m 28	0. ^m 62	EW
MM5-B V67	17 ^h 47 ^m 43. ^s 81	-35°04'33."3	0. ^d 86924	724.7262	16. ^m 62	1. ^m 27	0. ^m 05	EW?
MM5-B V68	17 ^h 47 ^m 59. ^s 67	-35°03'20."7	0. ^d 80477	723.7079	16. ^m 62	1. ^m 31	0. ^m 25	EW
MM5-B V70	17 ^h 46 ^m 56. ^s 25	-34°53'35."6	0. ^d 38161	724.3290	16. ^m 72	1. ^m 47	0. ^m 09	EW
MM5-B V71	17 ^h 47 ^m 12. ^s 50	-35°02'05."9	0. ^d 81593	724.1803	16. ^m 72	1. ^m 38	0. ^m 25	EW
MM5-B V72	17 ^h 46 ^m 51. ^s 86	-34°54'44."5	1. ^d 06437	723.8865	16. ^m 77	1. ^m 64	0. ^m 13	EW
MM5-B V73	17 ^h 47 ^m 09. ^s 35	-34°56'04."5	0. ^d 44755	724.5736	16. ^m 78	1. ^m 11	0. ^m 41	EW
MM5-B V74	17 ^h 47 ^m 00. ^s 57	-35°04'20."3	1. ^d 21003	723.6645	16. ^m 82	1. ^m 18	0. ^m 28	EA
MM5-B V76	17 ^h 47 ^m 12. ^s 22	-35°03'48."3	0. ^d 78891	723.4959	16. ^m 85	1. ^m 18	0. ^m 07	EW
MM5-B V78	17 ^h 47 ^m 01. ^s 56	-34°59'42."3	6. ^d 30066	718.3887	16. ^m 85	1. ^m 43	0. ^m 26	EB
MM5-B V80	17 ^h 47 ^m 43. ^s 14	-34°57'11."4	0. ^d 64881	724.5300	16. ^m 88	1. ^m 10	0. ^m 29	EW
MM5-B V82	17 ^h 46 ^m 54. ^s 00	-34°55'05."3	0. ^d 69681	724.4803	16. ^m 94	1. ^m 53	0. ^m 09	EW
MM5-B V84	17 ^h 47 ^m 03. ^s 58	-34°54'35."6	1. ^d 01128	723.9804	16. ^m 95	1. ^m 29	0. ^m 15	EW
MM5-B V85	17 ^h 47 ^m 27. ^s 58	-35°04'02."3	0. ^d 86152	724.0722	16. ^m 96	—	0. ^m 61	EW
MM5-B V86	17 ^h 47 ^m 45. ^s 18	-35°00'24."4	0. ^d 76895	724.0095	16. ^m 96	—	0. ^m 32	EW
MM5-B V88	17 ^h 47 ^m 23. ^s 77	-35°00'40."6	0. ^d 52485	724.7528	17. ^m 00	1. ^m 23	0. ^m 11	EW
MM5-B V89	17 ^h 46 ^m 53. ^s 57	-34°58'07."8	1. ^d 16577	723.8278	17. ^m 05	1. ^m 55	0. ^m 31	E
MM5-B V90	17 ^h 47 ^m 22. ^s 03	-35°04'19."6	1. ^d 21921	723.7438	17. ^m 08	1. ^m 26	0. ^m 24	E

Table 7
Concluded

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM5-B V92	17 ^h 47 ^m 46. ^s 65	-34°55'22."4	0. ^d 49450	724.5671	17. ^m 12	1. ^m 24	0. ^m 25	EW
MM5-B V93	17 ^h 46 ^m 57. ^s 06	-35°00'50."3	0. ^d 97253	724.0992	17. ^m 13	1. ^m 46	0. ^m 27	EW
MM5-B V94	17 ^h 47 ^m 40. ^s 85	-34°55'40."2	0. ^d 61598	724.0642	17. ^m 14	1. ^m 16	0. ^m 25	EW
MM5-B V95	17 ^h 46 ^m 53. ^s 25	-34°59'09."0	0. ^d 62983	724.3291	17. ^m 17	—	0. ^m 21	EW?
MM5-B V96	17 ^h 47 ^m 31. ^s 56	-35°02'55."5	0. ^d 80081	724.5985	17. ^m 16	1. ^m 23	0. ^m 29	EW
MM5-B V98	17 ^h 47 ^m 47. ^s 55	-35°00'27."6	0. ^d 70152	724.4071	17. ^m 17	1. ^m 21	0. ^m 50	EW
MM5-B V99	17 ^h 47 ^m 57. ^s 41	-34°56'36."3	0. ^d 83393	724.3358	17. ^m 16	1. ^m 29	0. ^m 22	EW
MM5-B V100	17 ^h 47 ^m 21. ^s 65	-34°58'12."8	0. ^d 47383	724.5046	17. ^m 18	1. ^m 34	0. ^m 14	EW
MM5-B V101	17 ^h 47 ^m 28. ^s 13	-34°53'11."7	0. ^d 97690	724.8422	17. ^m 21	1. ^m 12	0. ^m 45	EW
MM5-B V102	17 ^h 47 ^m 44. ^s 64	-34°53'34."1	0. ^d 52363	724.3212	17. ^m 25	1. ^m 09	0. ^m 17	EW
MM5-B V103	17 ^h 47 ^m 10. ^s 47	-34°56'38."5	0. ^d 38793	724.3367	17. ^m 25	1. ^m 39	0. ^m 82	EW
MM5-B V104	17 ^h 47 ^m 48. ^s 88	-35°00'11."4	0. ^d 72277	724.2170	17. ^m 32	1. ^m 09	0. ^m 24	EW
MM5-B V105	17 ^h 47 ^m 32. ^s 31	-34°58'38."4	0. ^d 66711	723.9798	17. ^m 33	1. ^m 09	0. ^m 46	EW
MM5-B V106	17 ^h 47 ^m 36. ^s 45	-35°00'20."3	0. ^d 71976	724.3679	17. ^m 37	1. ^m 21	0. ^m 53	EW
MM5-B V107	17 ^h 46 ^m 54. ^s 68	-34°56'58."4	0. ^d 82546	724.3304	17. ^m 38	1. ^m 08	0. ^m 24	EW
MM5-B V108	17 ^h 47 ^m 18. ^s 68	-35°00'33."5	0. ^d 64508	724.2042	17. ^m 37	1. ^m 32	0. ^m 15	EW
MM5-B V109	17 ^h 47 ^m 29. ^s 74	-35°00'59."4	0. ^d 72565	724.7175	17. ^m 37	1. ^m 23	0. ^m 11	EW
MM5-B V110	17 ^h 47 ^m 34. ^s 69	-34°57'43."5	1. ^d 57238	724.2865	17. ^m 39	1. ^m 08	0. ^m 85	EA
MM5-B V112	17 ^h 47 ^m 31. ^s 39	-34°57'41."9	1. ^d 11288	723.4098	17. ^m 40	1. ^m 02	0. ^m 09	EW?
MM5-B V113	17 ^h 47 ^m 21. ^s 54	-35°03'42."9	0. ^d 54689	724.4466	17. ^m 41	—	0. ^m 50	EW
MM5-B V114	17 ^h 47 ^m 18. ^s 17	-34°55'14."2	0. ^d 61771	724.5528	17. ^m 40	1. ^m 32	0. ^m 23	EW
MM5-B V115	17 ^h 46 ^m 48. ^s 73	-34°56'45."4	0. ^d 68372	724.4950	17. ^m 41	1. ^m 66	0. ^m 22	EW
MM5-B V116	17 ^h 47 ^m 23. ^s 38	-34°56'59."2	0. ^d 64047	723.8310	17. ^m 41	1. ^m 26	0. ^m 27	EW
MM5-B V117	17 ^h 47 ^m 37. ^s 48	-35°02'35."1	0. ^d 84057	724.3688	17. ^m 41	1. ^m 25	0. ^m 20	EW
MM5-B V118	17 ^h 47 ^m 48. ^s 92	-34°55'17."6	0. ^d 47168	724.8736	17. ^m 43	1. ^m 09	0. ^m 23	EW?
MM5-B V119	17 ^h 46 ^m 55. ^s 05	-34°54'58."9	0. ^d 73062	724.5369	17. ^m 43	1. ^m 38	0. ^m 28	EW
MM5-B V120	17 ^h 47 ^m 44. ^s 92	-34°55'11."8	0. ^d 56671	724.8210	17. ^m 44	0. ^m 92	0. ^m 13	EW
MM5-B V121	17 ^h 48 ^m 01. ^s 92	-35°03'14."4	4. ^d 43056	719.4255	17. ^m 44	1. ^m 42	0. ^m 20	E?
MM5-B V122	17 ^h 47 ^m 33. ^s 06	-34°55'13."9	0. ^d 29713	724.9244	17. ^m 51	1. ^m 37	0. ^m 17	EW
MM5-B V123	17 ^h 47 ^m 39. ^s 95	-35°04'06."9	1. ^d 20821	724.1813	17. ^m 53	1. ^m 43	0. ^m 25	E
MM5-B V124	17 ^h 47 ^m 11. ^s 93	-35°04'54."9	0. ^d 63652	724.3738	17. ^m 56	1. ^m 38	0. ^m 29	EW
MM5-B V126	17 ^h 47 ^m 46. ^s 51	-34°54'25."2	2. ^d 22228	723.2777	17. ^m 57	—	0. ^m 73	EA
MM5-B V127	17 ^h 47 ^m 09. ^s 01	-35°02'44."7	0. ^d 58799	724.5471	17. ^m 58	1. ^m 24	0. ^m 35	EW
MM5-B V128	17 ^h 47 ^m 31. ^s 21	-34°56'28."0	1. ^d 86078	723.4471	17. ^m 59	1. ^m 32	0. ^m 65	E?
MM5-B V129	17 ^h 47 ^m 05. ^s 03	-35°02'05."8	0. ^d 46833	724.7065	17. ^m 63	1. ^m 40	0. ^m 24	EW
MM5-B V130	17 ^h 47 ^m 07. ^s 23	-34°57'57."7	0. ^d 48705	724.4294	17. ^m 63	1. ^m 39	0. ^m 12	EW
MM5-B V131	17 ^h 47 ^m 29. ^s 39	-35°00'16."8	0. ^d 37589	724.4836	17. ^m 64	1. ^m 35	0. ^m 20	EW?
MM5-B V132	17 ^h 47 ^m 30. ^s 36	-34°53'52."2	0. ^d 43607	724.4523	17. ^m 67	1. ^m 02	0. ^m 29	EW
MM5-B V133	17 ^h 47 ^m 07. ^s 55	-35°01'35."0	0. ^d 88345	724.4060	17. ^m 67	1. ^m 33	0. ^m 67	EW
MM5-B V134	17 ^h 46 ^m 52. ^s 62	-35°02'23."2	0. ^d 47587	724.6891	17. ^m 71	1. ^m 43	0. ^m 23	EW
MM5-B V135	17 ^h 47 ^m 41. ^s 12	-34°58'53."0	0. ^d 48595	724.4737	17. ^m 71	1. ^m 29	0. ^m 55	EW
MM5-B V136	17 ^h 47 ^m 50. ^s 97	-35°03'04."7	0. ^d 72558	724.7790	17. ^m 72	1. ^m 32	0. ^m 57	EW
MM5-B V137	17 ^h 47 ^m 35. ^s 06	-35°03'56."3	0. ^d 69526	724.1383	17. ^m 77	—	0. ^m 30	EW
MM5-B V138	17 ^h 47 ^m 26. ^s 76	-35°04'04."8	0. ^d 46339	724.6131	17. ^m 78	1. ^m 35	0. ^m 21	EW
MM5-B V139	17 ^h 47 ^m 48. ^s 19	-34°58'51."0	0. ^d 53527	724.5961	17. ^m 79	1. ^m 26	0. ^m 29	EW
MM5-B V140	17 ^h 46 ^m 47. ^s 09	-34°52'26."3	0. ^d 44377	724.2677	17. ^m 80	1. ^m 58	0. ^m 25	EW
MM5-B V142	17 ^h 47 ^m 57. ^s 76	-35°02'57."3	0. ^d 45561	724.5680	17. ^m 82	1. ^m 38	0. ^m 19	EW
MM5-B V143	17 ^h 47 ^m 46. ^s 52	-35°03'40."4	1. ^d 60377	724.9019	17. ^m 87	—	0. ^m 34	EB
MM5-B V144	17 ^h 47 ^m 12. ^s 80	-35°04'47."3	1. ^d 06462	723.7883	17. ^m 92	1. ^m 44	0. ^m 62	EA

Table 8
Eclipsing Variable Stars in the MM7-A field

Star ID	α_{2000}	δ_{2000}	P	$T_0 -$	I	$(V-I)$	ΔI	Type
OGLE				2 448 000				
MM7-A V6	18 ^h 10 ^m 48. ^s 74	-26°01'20."8	0. ^d 40395	724.6136	15. ^m 04	1. ^m 37	0. ^m 18	EW
MM7-A V9	18 ^h 11 ^m 14. ^s 23	-25°51'54."3	1. ^d 06942	723.2370	15. ^m 26	1. ^m 18	0. ^m 12	EW
MM7-A V10	18 ^h 11 ^m 05. ^s 56	-25°57'46."8	1. ^d 88386	722.8874	15. ^m 26	1. ^m 23	0. ^m 73	EA
MM7-A V12	18 ^h 10 ^m 22. ^s 38	-25°55'29."4	1. ^d 13987	724.7339	15. ^m 41	1. ^m 14	0. ^m 10	EW
MM7-A V13	18 ^h 10 ^m 48. ^s 04	-25°53'08."8	0. ^d 33346	724.7063	15. ^m 41	1. ^m 14	0. ^m 41	EW
MM7-A V14	18 ^h 10 ^m 56. ^s 61	-25°49'11."8	0. ^d 61198	724.4766	15. ^m 41	1. ^m 49	0. ^m 41	EW
MM7-A V15	18 ^h 10 ^m 53. ^s 22	-25°52'33."9	0. ^d 93585	724.0203	15. ^m 46	1. ^m 11	0. ^m 44	EW
MM7-A V17	18 ^h 11 ^m 04. ^s 95	-25°58'06."2	0. ^d 30078	724.7390	15. ^m 49	1. ^m 29	0. ^m 07	EW
MM7-A V19	18 ^h 11 ^m 20. ^s 67	-25°54'43."2	1. ^d 04013	724.6440	15. ^m 49	1. ^m 27	0. ^m 07	EW?
MM7-A V22	18 ^h 10 ^m 46. ^s 76	-25°48'02."4	1. ^d 26312	723.7097	15. ^m 56	1. ^m 42	0. ^m 38	EW
MM7-A V23	18 ^h 11 ^m 09. ^s 96	-25°56'30."1	0. ^d 92648	724.4601	15. ^m 56	1. ^m 34	0. ^m 17	EW
MM7-A V27	18 ^h 10 ^m 47. ^s 98	-25°55'48."9	2. ^d 43450	720.5604	15. ^m 66	1. ^m 11	0. ^m 34	EA
MM7-A V29	18 ^h 11 ^m 17. ^s 65	-25°57'52."7	1. ^d 11265	724.3062	15. ^m 71	0. ^m 99	0. ^m 21	EW
MM7-A V31	18 ^h 10 ^m 42. ^s 74	-25°53'29."3	2. ^d 66960	722.7505	15. ^m 75	1. ^m 08	0. ^m 25	EA
MM7-A V33	18 ^h 11 ^m 10. ^s 96	-25°59'44."1	2. ^d 58915	723.8331	15. ^m 75	1. ^m 43	0. ^m 08	E
MM7-A V35	18 ^h 11 ^m 18. ^s 15	-25°59'32."6	0. ^d 76066	724.6488	15. ^m 75	1. ^m 49	0. ^m 56	EW
MM7-A V38	18 ^h 10 ^m 33. ^s 28	-25°58'35."5	0. ^d 37665	724.6038	15. ^m 90	1. ^m 22	0. ^m 07	EW
MM7-A V40	18 ^h 10 ^m 20. ^s 67	-25°51'15."6	0. ^d 51042	724.4748	15. ^m 90	1. ^m 34	0. ^m 51	EA
MM7-A V41	18 ^h 10 ^m 57. ^s 88	-25°59'16."8	4. ^d 71889	721.3484	15. ^m 91	1. ^m 84	0. ^m 14	EB
MM7-A V42	18 ^h 11 ^m 21. ^s 22	-25°52'46."0	1. ^d 47148	722.9337	15. ^m 94	1. ^m 46	0. ^m 15	EB
MM7-A V43	18 ^h 11 ^m 19. ^s 43	-25°49'39."7	1. ^d 00833	724.7382	15. ^m 97	1. ^m 36	0. ^m 17	EW
MM7-A V48	18 ^h 10 ^m 52. ^s 93	-25°55'18."8	0. ^d 84653	724.1996	16. ^m 06	1. ^m 28	0. ^m 43	EW
MM7-A V52	18 ^h 10 ^m 33. ^s 99	-25°47'36."5	0. ^d 41504	724.4170	16. ^m 18	1. ^m 38	0. ^m 15	EW
MM7-A V53	18 ^h 11 ^m 14. ^s 17	-25°58'25."2	1. ^d 14085	723.4027	16. ^m 19	1. ^m 47	0. ^m 11	EW
MM7-A V61	18 ^h 10 ^m 20. ^s 31	-25°53'45."5	8. ^d 32146	715.0880	16. ^m 30	1. ^m 64	1. ^m 30	EA
MM7-A V62	18 ^h 11 ^m 18. ^s 63	-25°47'28."8	0. ^d 69413	724.1025	16. ^m 35	1. ^m 30	0. ^m 26	EW
MM7-A V63	18 ^h 11 ^m 21. ^s 91	-25°49'54."1	1. ^d 23127	723.0238	16. ^m 38	—	0. ^m 50	EA
MM7-A V67	18 ^h 10 ^m 26. ^s 46	-25°50'15."5	0. ^d 79265	724.3394	16. ^m 52	1. ^m 38	0. ^m 24	EW
MM7-A V68	18 ^h 11 ^m 16. ^s 45	-25°54'49."8	1. ^d 18356	723.2629	16. ^m 54	1. ^m 25	0. ^m 28	EW
MM7-A V70	18 ^h 11 ^m 01. ^s 89	-25°52'20."3	1. ^d 01225	723.8104	16. ^m 56	1. ^m 13	0. ^m 21	EW
MM7-A V72	18 ^h 11 ^m 09. ^s 10	-25°58'33."5	0. ^d 39474	724.7418	16. ^m 58	1. ^m 34	0. ^m 83	EW
MM7-A V74	18 ^h 10 ^m 43. ^s 11	-25°59'43."3	1. ^d 89914	721.7244	16. ^m 67	1. ^m 23	0. ^m 37	EA
MM7-A V77	18 ^h 10 ^m 33. ^s 54	-25°48'59."1	0. ^d 85478	724.6509	16. ^m 73	1. ^m 31	0. ^m 54	EW
MM7-A V78	18 ^h 10 ^m 57. ^s 46	-25°48'15."5	0. ^d 58759	723.9814	16. ^m 76	1. ^m 28	0. ^m 31	EW
MM7-A V80	18 ^h 10 ^m 48. ^s 40	-25°47'39."0	0. ^d 79671	723.7361	16. ^m 79	1. ^m 38	0. ^m 10	EW
MM7-A V81	18 ^h 10 ^m 27. ^s 92	-25°55'37."6	3. ^d 98633	721.3543	16. ^m 81	1. ^m 32	0. ^m 55	EA
MM7-A V82	18 ^h 10 ^m 46. ^s 66	-26°00'04."7	2. ^d 79378	722.3961	16. ^m 81	1. ^m 55	0. ^m 23	EA
MM7-A V83	18 ^h 10 ^m 33. ^s 14	-25°56'14."3	0. ^d 56322	724.8517	16. ^m 82	1. ^m 27	0. ^m 16	EW
MM7-A V84	18 ^h 10 ^m 45. ^s 81	-25°59'09."7	0. ^d 75862	724.1240	16. ^m 83	1. ^m 35	0. ^m 76	EW
MM7-A V85	18 ^h 10 ^m 49. ^s 00	-25°55'10."3	0. ^d 32217	724.7958	16. ^m 85	1. ^m 22	0. ^m 45	EW
MM7-A V86	18 ^h 11 ^m 04. ^s 67	-25°58'23."4	1. ^d 09088	723.4542	16. ^m 84	1. ^m 25	0. ^m 26	EA?
MM7-A V87	18 ^h 10 ^m 33. ^s 80	-25°50'34."5	7. ^d 01261	718.3459	16. ^m 86	1. ^m 70	0. ^m 61	EB
MM7-A V89	18 ^h 11 ^m 07. ^s 20	-25°49'58."3	3. ^d 58440	723.9556	16. ^m 85	1. ^m 82	0. ^m 45	EA
MM7-A V90	18 ^h 10 ^m 38. ^s 51	-26°00'05."7	0. ^d 79825	724.0535	16. ^m 89	1. ^m 24	0. ^m 17	EW
MM7-A V95	18 ^h 11 ^m 21. ^s 93	-26°01'04."5	0. ^d 51680	724.2409	16. ^m 92	—	0. ^m 23	EW
MM7-A V96	18 ^h 10 ^m 35. ^s 56	-25°56'38."3	0. ^d 52043	724.7555	16. ^m 92	1. ^m 26	0. ^m 33	EW
MM7-A V97	18 ^h 10 ^m 39. ^s 08	-25°52'04."8	1. ^d 20150	724.2978	16. ^m 95	1. ^m 15	0. ^m 51	EA
MM7-A V98	18 ^h 11 ^m 05. ^s 07	-26°01'15."6	0. ^d 66070	724.2270	16. ^m 95	—	0. ^m 18	EW
MM7-A V99	18 ^h 11 ^m 09. ^s 22	-25°54'04."3	0. ^d 64889	724.2800	16. ^m 98	1. ^m 36	0. ^m 35	EW
MM7-A V101	18 ^h 10 ^m 22. ^s 23	-25°47'31."2	10. ^d 93898	715.1686	17. ^m 03	2. ^m 14	0. ^m 29	E
MM7-A V102	18 ^h 10 ^m 42. ^s 03	-25°50'13."4	0. ^d 38460	724.6679	17. ^m 04	1. ^m 37	0. ^m 07	EW?
MM7-A V104	18 ^h 11 ^m 03. ^s 20	-25°48'26."8	2. ^d 03559	723.0049	17. ^m 05	1. ^m 23	0. ^m 76	EA

Table 8
Continued

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-A V105	18 ^h 11 ^m 16. ^s 01	-25°59'48."0	0. ^d 55982	724.9456	17. ^m 05	1. ^m 44	0. ^m 12	EW
MM7-A V106	18 ^h 10 ^m 55. ^s 29	-25°49'56."3	0. ^d 88103	723.9512	17. ^m 06	1. ^m 40	0. ^m 54	EW
MM7-A V107	18 ^h 10 ^m 35. ^s 56	-26°00'47."1	0. ^d 41950	724.8322	17. ^m 08	1. ^m 55	0. ^m 11	EW
MM7-A V108	18 ^h 10 ^m 50. ^s 42	-25°53'07."7	0. ^d 55069	724.6001	17. ^m 08	1. ^m 37	0. ^m 48	EW
MM7-A V110	18 ^h 10 ^m 37. ^s 43	-25°52'51."3	1. ^d 21045	723.4194	17. ^m 09	1. ^m 30	0. ^m 55	EA
MM7-A V111	18 ^h 11 ^m 17. ^s 21	-25°47'46."1	1. ^d 15640	723.7136	17. ^m 09	1. ^m 40	0. ^m 48	EA
MM7-A V112	18 ^h 11 ^m 16. ^s 86	-25°55'18."5	3. ^d 86199	719.2107	17. ^m 12	1. ^m 88	0. ^m 14	E
MM7-A V113	18 ^h 10 ^m 55. ^s 99	-25°56'21."5	0. ^d 55524	724.4544	17. ^m 14	1. ^m 33	0. ^m 26	EW
MM7-A V117	18 ^h 11 ^m 17. ^s 55	-25°55'01."4	2. ^d 69280	722.8660	17. ^m 20	1. ^m 34	0. ^m 26	EB
MM7-A V118	18 ^h 10 ^m 32. ^s 59	-26°01'06."5	2. ^d 71922	722.4570	17. ^m 20	1. ^m 98	0. ^m 89	EA
MM7-A V120	18 ^h 11 ^m 01. ^s 28	-26°01'04."5	0. ^d 72150	724.2265	17. ^m 23	1. ^m 31	0. ^m 24	EW
MM7-A V121	18 ^h 11 ^m 14. ^s 75	-25°54'16."4	0. ^d 40782	724.3731	17. ^m 24	1. ^m 45	0. ^m 27	EW
MM7-A V122	18 ^h 11 ^m 20. ^s 31	-25°48'12."5	0. ^d 80448	724.3377	17. ^m 24	1. ^m 33	0. ^m 58	EA
MM7-A V123	18 ^h 10 ^m 36. ^s 99	-25°52'57."3	0. ^d 84042	723.9662	17. ^m 26	1. ^m 29	0. ^m 65	EA
MM7-A V124	18 ^h 10 ^m 24. ^s 96	-25°55'33."3	0. ^d 61172	724.5199	17. ^m 28	1. ^m 16	0. ^m 12	EW
MM7-A V125	18 ^h 10 ^m 38. ^s 82	-26°00'28."0	1. ^d 54803	723.2586	17. ^m 27	1. ^m 43	0. ^m 82	EA
MM7-A V126	18 ^h 11 ^m 04. ^s 38	-25°53'20."0	0. ^d 39141	724.5958	17. ^m 28	1. ^m 74	0. ^m 14	EW
MM7-A V128	18 ^h 10 ^m 33. ^s 49	-25°56'38."8	0. ^d 80571	723.8482	17. ^m 32	1. ^m 12	0. ^m 23	EW
MM7-A V129	18 ^h 10 ^m 39. ^s 24	-25°48'41."7	0. ^d 68006	724.4298	17. ^m 30	2. ^m 01	0. ^m 47	EW
MM7-A V130	18 ^h 10 ^m 46. ^s 18	-25°54'51."7	1. ^d 11112	723.8241	17. ^m 35	1. ^m 16	0. ^m 61	E
MM7-A V131	18 ^h 11 ^m 05. ^s 49	-25°56'01."2	1. ^d 15122	723.7927	17. ^m 35	1. ^m 65	0. ^m 55	EA
MM7-A V132	18 ^h 11 ^m 15. ^s 52	-25°58'44."2	0. ^d 53839	724.4753	17. ^m 36	1. ^m 54	0. ^m 17	EW
MM7-A V134	18 ^h 10 ^m 59. ^s 80	-25°51'19."8	0. ^d 35955	724.6220	17. ^m 38	1. ^m 50	0. ^m 38	EW
MM7-A V135	18 ^h 11 ^m 02. ^s 08	-25°56'00."1	0. ^d 47483	724.2278	17. ^m 40	1. ^m 52	0. ^m 55	EW
MM7-A V136	18 ^h 10 ^m 50. ^s 52	-25°50'44."0	1. ^d 11439	723.7462	17. ^m 41	1. ^m 24	0. ^m 23	EW
MM7-A V137	18 ^h 10 ^m 38. ^s 59	-25°58'36."3	0. ^d 40560	724.4487	17. ^m 45	1. ^m 22	0. ^m 11	EW
MM7-A V138	18 ^h 11 ^m 09. ^s 89	-25°55'40."6	0. ^d 28840	724.4660	17. ^m 44	1. ^m 56	0. ^m 11	EW
MM7-A V139	18 ^h 10 ^m 25. ^s 96	-25°58'56."1	0. ^d 41340	724.5840	17. ^m 45	1. ^m 48	0. ^m 10	EW
MM7-A V140	18 ^h 10 ^m 31. ^s 52	-26°00'37."5	0. ^d 46981	724.5772	17. ^m 47	1. ^m 37	0. ^m 28	EW
MM7-A V141	18 ^h 11 ^m 02. ^s 01	-25°52'35."9	0. ^d 32548	724.7828	17. ^m 47	1. ^m 42	0. ^m 22	EW
MM7-A V142	18 ^h 10 ^m 48. ^s 60	-26°01'06."6	0. ^d 38547	724.3097	17. ^m 47	2. ^m 24	0. ^m 08	EW
MM7-A V143	18 ^h 10 ^m 49. ^s 54	-25°48'19."4	0. ^d 58286	724.2036	17. ^m 48	1. ^m 39	0. ^m 87	EW
MM7-A V144	18 ^h 10 ^m 27. ^s 74	-26°00'05."8	2. ^d 53721	721.9682	17. ^m 48	1. ^m 99	0. ^m 81	EB
MM7-A V145	18 ^h 10 ^m 45. ^s 34	-26°00'05."8	0. ^d 49294	724.5010	17. ^m 51	—	0. ^m 18	EW
MM7-A V147	18 ^h 11 ^m 08. ^s 53	-25°52'25."2	0. ^d 58362	724.4247	17. ^m 52	1. ^m 38	0. ^m 78	EW
MM7-A V148	18 ^h 11 ^m 22. ^s 11	-25°53'51."0	0. ^d 47078	724.2395	17. ^m 52	1. ^m 77	0. ^m 43	EW
MM7-A V150	18 ^h 10 ^m 50. ^s 79	-25°55'06."4	0. ^d 42759	724.4940	17. ^m 56	1. ^m 48	0. ^m 38	EW
MM7-A V151	18 ^h 10 ^m 24. ^s 33	-26°00'26."6	0. ^d 44998	724.5758	17. ^m 59	1. ^m 38	0. ^m 23	EW
MM7-A V152	18 ^h 10 ^m 24. ^s 28	-25°57'43."9	2. ^d 87338	722.7412	17. ^m 61	1. ^m 27	0. ^m 94	EA
MM7-A V153	18 ^h 10 ^m 35. ^s 59	-25°54'01."8	0. ^d 39369	724.5034	17. ^m 61	1. ^m 39	0. ^m 50	EW
MM7-A V154	18 ^h 11 ^m 17. ^s 20	-25°47'10."5	0. ^d 34065	724.6692	17. ^m 64	1. ^m 48	0. ^m 24	EW
MM7-A V156	18 ^h 11 ^m 00. ^s 77	-25°54'23."3	0. ^d 57810	724.7229	17. ^m 66	1. ^m 43	0. ^m 53	EW
MM7-A V157	18 ^h 10 ^m 57. ^s 09	-25°57'23."6	0. ^d 52643	724.7820	17. ^m 67	1. ^m 38	0. ^m 37	EW
MM7-A V158	18 ^h 11 ^m 06. ^s 94	-25°56'43."0	0. ^d 35678	724.7144	17. ^m 70	1. ^m 46	0. ^m 29	EW
MM7-A V162	18 ^h 10 ^m 25. ^s 10	-26°00'47."0	0. ^d 47008	724.8549	17. ^m 72	1. ^m 34	0. ^m 15	EW
MM7-A V163	18 ^h 10 ^m 38. ^s 33	-25°59'36."1	0. ^d 43320	724.4074	17. ^m 72	1. ^m 55	0. ^m 13	EW
MM7-A V164	18 ^h 10 ^m 49. ^s 80	-25°53'02."7	0. ^d 43336	724.4418	17. ^m 74	1. ^m 59	0. ^m 21	EW
MM7-A V165	18 ^h 11 ^m 06. ^s 85	-25°53'27."3	0. ^d 41343	724.6866	17. ^m 75	1. ^m 50	0. ^m 16	EW
MM7-A V166	18 ^h 10 ^m 45. ^s 72	-25°56'30."5	0. ^d 50837	724.7079	17. ^m 77	1. ^m 55	0. ^m 21	EW
MM7-A V167	18 ^h 10 ^m 57. ^s 38	-25°56'09."6	1. ^d 20315	723.3819	17. ^m 77	1. ^m 46	0. ^m 60	EA

Table 8
Concluded

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-A V168	$18^h 10^m 31.^s 74$	$-25^\circ 49' 02.'' 2$	$0.^d 43439$	724.7797	$17.^m 79$	$1.^m 40$	$0.^m 22$	EW
MM7-A V169	$18^h 10^m 44.^s 75$	$-26^\circ 01' 09.'' 2$	$0.^d 45565$	724.7095	$17.^m 79$	$1.^m 35$	$0.^m 47$	EW
MM7-A V170	$18^h 10^m 58.^s 05$	$-25^\circ 51' 28.'' 8$	$0.^d 50447$	724.5688	$17.^m 79$	$1.^m 51$	$0.^m 41$	EW
MM7-A V171	$18^h 11^m 04.^s 53$	$-26^\circ 01' 23.'' 2$	$0.^d 41813$	724.5779	$17.^m 81$	—	$0.^m 14$	EW
MM7-A V172	$18^h 10^m 30.^s 41$	$-25^\circ 55' 54.'' 3$	$0.^d 50154$	724.5558	$17.^m 81$	$1.^m 36$	$0.^m 13$	EW
MM7-A V173	$18^h 10^m 41.^s 74$	$-25^\circ 57' 57.'' 4$	$1.^d 03263$	724.0017	$17.^m 82$	$1.^m 64$	$0.^m 28$	EW
MM7-A V174	$18^h 10^m 30.^s 43$	$-25^\circ 49' 34.'' 9$	$0.^d 72026$	724.4051	$17.^m 83$	$1.^m 46$	$0.^m 18$	EW
MM7-A V176	$18^h 11^m 05.^s 46$	$-25^\circ 56' 03.'' 6$	$1.^d 80906$	723.4594	$17.^m 83$	$1.^m 71$	$0.^m 37$	EB
MM7-A V177	$18^h 11^m 06.^s 31$	$-25^\circ 47' 23.'' 3$	$0.^d 45472$	724.6682	$17.^m 83$	$1.^m 39$	$0.^m 19$	EW
MM7-A V179	$18^h 10^m 30.^s 82$	$-25^\circ 55' 21.'' 3$	$0.^d 53176$	724.5831	$17.^m 88$	$1.^m 28$	$0.^m 33$	EW
MM7-A V180	$18^h 10^m 31.^s 68$	$-25^\circ 50' 06.'' 2$	$0.^d 32457$	724.5142	$17.^m 88$	$1.^m 74$	$0.^m 18$	EW
MM7-A V181	$18^h 10^m 21.^s 80$	$-25^\circ 57' 04.'' 0$	$0.^d 53297$	724.5765	$17.^m 90$	$1.^m 26$	$0.^m 24$	EW
MM7-A V182	$18^h 11^m 07.^s 44$	$-25^\circ 49' 30.'' 7$	$7.^d 33654$	712.2558	$17.^m 92$	$1.^m 92$	$0.^m 42$	EA

Table 9
Eclipsing Variable Stars in the MM7-B field

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-B V3	$18^h 12^m 00.^s 63$	$-26^\circ 01' 39.'' 5$	$0.^d 72510$	724.0914	$15.^m 01$	$1.^m 10$	$0.^m 31$	EW
MM7-B V9	$18^h 11^m 47.^s 97$	$-25^\circ 53' 01.'' 6$	$0.^d 88827$	724.3877	$15.^m 52$	$1.^m 20$	$0.^m 07$	EW
MM7-B V11	$18^h 11^m 45.^s 48$	$-25^\circ 52' 28.'' 6$	$0.^d 61894$	724.1685	$15.^m 57$	$1.^m 21$	$0.^m 06$	EW
MM7-B V16	$18^h 11^m 59.^s 32$	$-25^\circ 50' 11.'' 1$	$0.^d 47781$	724.5812	$15.^m 70$	$1.^m 15$	$0.^m 05$	EW
MM7-B V18	$18^h 11^m 58.^s 07$	$-25^\circ 56' 56.'' 4$	$0.^d 34351$	724.5979	$15.^m 77$	$1.^m 22$	$0.^m 17$	EW
MM7-B V19	$18^h 11^m 18.^s 06$	$-26^\circ 02' 04.'' 2$	$0.^d 53559$	724.2816	$15.^m 82$	$1.^m 08$	$0.^m 16$	EW
MM7-B V21	$18^h 11^m 21.^s 15$	$-25^\circ 57' 33.'' 6$	$0.^d 36646$	724.5116	$15.^m 83$	$1.^m 44$	$0.^m 06$	EW
MM7-B V22	$18^h 11^m 51.^s 91$	$-25^\circ 48' 47.'' 4$	$1.^d 10602$	723.3658	$15.^m 85$	$1.^m 23$	$0.^m 16$	EW
MM7-B V23	$18^h 12^m 09.^s 41$	$-25^\circ 59' 48.'' 4$	$0.^d 48814$	724.4701	$15.^m 85$	$1.^m 83$	$0.^m 06$	EW
MM7-B V26	$18^h 11^m 39.^s 53$	$-25^\circ 49' 51.'' 6$	$3.^d 65016$	724.2146	$16.^m 05$	$1.^m 34$	$0.^m 23$	EA
MM7-B V29	$18^h 11^m 33.^s 91$	$-26^\circ 00' 22.'' 7$	$0.^d 43627$	724.5642	$16.^m 18$	$1.^m 29$	$0.^m 42$	EW
MM7-B V30	$18^h 11^m 51.^s 84$	$-25^\circ 48' 35.'' 4$	$1.^d 23782$	723.1543	$16.^m 25$	$1.^m 54$	$0.^m 27$	EW
MM7-B V31	$18^h 11^m 54.^s 03$	$-25^\circ 49' 22.'' 8$	$0.^d 89812$	724.7739	$16.^m 31$	$1.^m 32$	$0.^m 20$	EW
MM7-B V33	$18^h 12^m 05.^s 64$	$-25^\circ 54' 19.'' 9$	$7.^d 20936$	719.1769	$16.^m 42$	$1.^m 51$	$0.^m 22$	EA
MM7-B V34	$18^h 11^m 29.^s 43$	$-25^\circ 51' 20.'' 4$	$0.^d 39525$	724.6636	$16.^m 48$	$1.^m 32$	$0.^m 14$	EW
MM7-B V35	$18^h 11^m 49.^s 62$	$-25^\circ 53' 56.'' 0$	$0.^d 65479$	724.2815	$16.^m 48$	$1.^m 36$	$0.^m 21$	EW
MM7-B V37	$18^h 12^m 06.^s 08$	$-25^\circ 55' 42.'' 9$	$0.^d 92515$	724.2222	$16.^m 52$	$1.^m 30$	$0.^m 31$	EW
MM7-B V38	$18^h 11^m 21.^s 01$	$-26^\circ 01' 58.'' 9$	$0.^d 59927$	724.2154	$16.^m 53$	$1.^m 35$	$0.^m 24$	EW
MM7-B V39	$18^h 11^m 44.^s 30$	$-25^\circ 49' 47.'' 5$	$0.^d 36730$	724.5334	$16.^m 54$	$1.^m 54$	$0.^m 28$	EW
MM7-B V40	$18^h 11^m 56.^s 87$	$-25^\circ 49' 34.'' 8$	$0.^d 61426$	724.5792	$16.^m 54$	$1.^m 34$	$0.^m 09$	EW
MM7-B V41	$18^h 11^m 40.^s 32$	$-25^\circ 54' 41.'' 0$	$0.^d 45442$	724.6831	$16.^m 56$	$1.^m 13$	$0.^m 39$	EW
MM7-B V43	$18^h 11^m 38.^s 08$	$-25^\circ 48' 15.'' 1$	$0.^d 95740$	724.4780	$16.^m 58$	$1.^m 67$	$0.^m 13$	EW
MM7-B V44	$18^h 11^m 09.^s 95$	$-26^\circ 02' 38.'' 4$	$0.^d 78855$	724.1420	$16.^m 60$	$1.^m 46$	$0.^m 14$	EW
MM7-B V46	$18^h 12^m 08.^s 68$	$-25^\circ 55' 29.'' 5$	$1.^d 03670$	723.9919	$16.^m 61$	$1.^m 46$	$0.^m 25$	EW
MM7-B V47	$18^h 11^m 57.^s 91$	$-25^\circ 52' 18.'' 0$	$0.^d 48284$	724.5970	$16.^m 63$	$1.^m 51$	$0.^m 09$	EW
MM7-B V49	$18^h 11^m 58.^s 49$	$-25^\circ 59' 26.'' 7$	$3.^d 91179$	722.1532	$16.^m 70$	$1.^m 73$	$1.^m 35$	EA
MM7-B V50	$18^h 11^m 26.^s 32$	$-26^\circ 02' 05.'' 0$	$0.^d 65281$	724.5173	$16.^m 77$	$1.^m 30$	$0.^m 48$	EW
MM7-B V51	$18^h 11^m 47.^s 64$	$-25^\circ 57' 23.'' 0$	$0.^d 61383$	724.8970	$16.^m 77$	$1.^m 54$	$0.^m 28$	EW
MM7-B V53	$18^h 12^m 09.^s 20$	$-25^\circ 55' 13.'' 4$	$0.^d 78717$	724.5160	$16.^m 79$	$1.^m 44$	$0.^m 29$	EW
MM7-B V54	$18^h 11^m 44.^s 57$	$-25^\circ 49' 04.'' 5$	$0.^d 33608$	724.9074	$16.^m 79$	$1.^m 83$	$0.^m 10$	EW
MM7-B V55	$18^h 11^m 29.^s 48$	$-25^\circ 57' 00.'' 0$	$0.^d 63027$	724.3876	$16.^m 81$	$1.^m 62$	$0.^m 26$	EW

Table 9
Concluded

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-B V56	18 ^h 11 ^m 28. ^s 31	-25°49'30."4	0. ^d 88241	724.4533	16. ^m 85	1. ^m 53	0. ^m 20	EW
MM7-B V58	18 ^h 11 ^m 56. ^s 52	-25°59'01."3	1. ^d 00021	723.4409	16. ^m 92	1. ^m 60	0. ^m 30	E
MM7-B V59	18 ^h 12 ^m 06. ^s 10	-25°56'06."9	0. ^d 38182	724.4553	16. ^m 92	1. ^m 60	0. ^m 44	EW
MM7-B V60	18 ^h 12 ^m 05. ^s 87	-25°53'07."5	4. ^d 33096	722.6181	16. ^m 94	1. ^m 75	0. ^m 55	EA
MM7-B V61	18 ^h 11 ^m 46. ^s 18	-26°00'56."1	1. ^d 77651	724.3151	16. ^m 98	1. ^m 46	0. ^m 19	E
MM7-B V62	18 ^h 11 ^m 30. ^s 20	-25°49'18."8	0. ^d 47980	724.7686	16. ^m 99	1. ^m 61	0. ^m 23	EW
MM7-B V64	18 ^h 11 ^m 21. ^s 97	-25°58'10."2	0. ^d 33509	724.6686	17. ^m 03	1. ^m 62	0. ^m 23	EW
MM7-B V65	18 ^h 12 ^m 11. ^s 16	-25°56'34."4	1. ^d 84883	723.5692	17. ^m 04	1. ^m 44	0. ^m 28	EA
MM7-B V67	18 ^h 11 ^m 55. ^s 02	-26°00'39."2	0. ^d 85260	724.1550	17. ^m 11	1. ^m 58	0. ^m 45	EW
MM7-B V68	18 ^h 11 ^m 51. ^s 39	-25°59'54."9	0. ^d 36651	724.7468	17. ^m 13	1. ^m 46	0. ^m 35	EW
MM7-B V69	18 ^h 11 ^m 26. ^s 04	-25°52'22."3	0. ^d 68224	724.4570	17. ^m 16	1. ^m 60	0. ^m 50	EW
MM7-B V70	18 ^h 11 ^m 14. ^s 92	-25°54'28."7	3. ^d 45237	724.5144	17. ^m 22	1. ^m 58	0. ^m 31	EW
MM7-B V71	18 ^h 11 ^m 26. ^s 36	-25°51'59."2	1. ^d 57883	724.1099	17. ^m 23	2. ^m 02	0. ^m 28	EB
MM7-B V73	18 ^h 11 ^m 43. ^s 97	-25°48'47."8	1. ^d 58560	724.3465	17. ^m 25	1. ^m 35	0. ^m 67	EA
MM7-B V74	18 ^h 11 ^m 32. ^s 32	-25°48'42."8	0. ^d 33593	724.7035	17. ^m 28	—	0. ^m 49	EW
MM7-B V75	18 ^h 11 ^m 35. ^s 29	-25°54'48."3	0. ^d 57853	724.3277	17. ^m 28	1. ^m 53	0. ^m 25	EW
MM7-B V77	18 ^h 11 ^m 30. ^s 47	-26°01'40."5	0. ^d 58195	724.2292	17. ^m 28	1. ^m 81	0. ^m 20	EW
MM7-B V78	18 ^h 11 ^m 33. ^s 40	-26°00'49."3	0. ^d 59946	724.2454	17. ^m 30	1. ^m 75	0. ^m 39	EW
MM7-B V80	18 ^h 11 ^m 56. ^s 54	-25°57'20."7	0. ^d 39573	724.7007	17. ^m 35	1. ^m 68	0. ^m 46	EW
MM7-B V81	18 ^h 11 ^m 23. ^s 80	-25°57'21."1	0. ^d 55126	724.8363	17. ^m 40	1. ^m 75	0. ^m 39	EW
MM7-B V82	18 ^h 11 ^m 27. ^s 47	-25°57'06."1	1. ^d 31167	723.6379	17. ^m 44	1. ^m 49	0. ^m 53	EA
MM7-B V83	18 ^h 11 ^m 25. ^s 68	-25°49'50."1	0. ^d 60971	724.7806	17. ^m 44	1. ^m 45	0. ^m 29	EW
MM7-B V84	18 ^h 11 ^m 48. ^s 95	-25°49'56."2	3. ^d 82192	720.1529	17. ^m 45	—	0. ^m 33	EA
MM7-B V85	18 ^h 12 ^m 00. ^s 41	-25°52'48."6	0. ^d 53331	724.4323	17. ^m 45	1. ^m 61	0. ^m 16	EW
MM7-B V86	18 ^h 11 ^m 30. ^s 28	-25°50'35."7	0. ^d 37009	724.4915	17. ^m 46	1. ^m 64	0. ^m 23	EW
MM7-B V88	18 ^h 12 ^m 03. ^s 70	-25°50'16."8	0. ^d 73345	724.3383	17. ^m 49	1. ^m 62	0. ^m 23	EW
MM7-B V89	18 ^h 12 ^m 03. ^s 44	-25°51'49."0	0. ^d 36139	724.6625	17. ^m 50	1. ^m 60	0. ^m 26	EW
MM7-B V90	18 ^h 11 ^m 45. ^s 93	-25°54'34."5	0. ^d 93503	724.2733	17. ^m 51	1. ^m 70	1. ^m 40	EA
MM7-B V91	18 ^h 12 ^m 08. ^s 15	-25°55'39."4	0. ^d 49439	724.5582	17. ^m 54	1. ^m 75	0. ^m 47	EW?
MM7-B V92	18 ^h 11 ^m 45. ^s 92	-25°56'31."9	0. ^d 39997	724.5521	17. ^m 55	2. ^m 17	0. ^m 13	EW?
MM7-B V93	18 ^h 11 ^m 23. ^s 58	-25°51'32."0	0. ^d 37193	724.7822	17. ^m 58	1. ^m 61	0. ^m 24	EW
MM7-B V94	18 ^h 11 ^m 29. ^s 47	-25°58'11."7	0. ^d 45298	724.3454	17. ^m 59	1. ^m 79	0. ^m 56	EW
MM7-B V96	18 ^h 11 ^m 26. ^s 14	-25°57'00."1	0. ^d 37831	724.7478	17. ^m 64	1. ^m 69	0. ^m 19	EW
MM7-B V97	18 ^h 11 ^m 09. ^s 65	-26°01'29."9	0. ^d 33957	724.9687	17. ^m 65	1. ^m 47	0. ^m 35	EW
MM7-B V98	18 ^h 11 ^m 28. ^s 95	-26°00'38."3	1. ^d 38187	723.1933	17. ^m 66	1. ^m 52	0. ^m 76	EA
MM7-B V99	18 ^h 11 ^m 41. ^s 63	-25°55'51."7	0. ^d 50573	724.6054	17. ^m 66	1. ^m 68	0. ^m 44	EW
MM7-B V100	18 ^h 11 ^m 20. ^s 96	-26°01'41."5	0. ^d 48877	724.8171	17. ^m 67	1. ^m 68	0. ^m 33	EW
MM7-B V101	18 ^h 12 ^m 02. ^s 20	-26°00'31."4	1. ^d 20532	724.9156	17. ^m 67	1. ^m 87	0. ^m 53	EA
MM7-B V103	18 ^h 11 ^m 29. ^s 84	-25°48'43."0	0. ^d 34273	724.8174	17. ^m 70	1. ^m 80	0. ^m 29	EW
MM7-B V104	18 ^h 11 ^m 26. ^s 09	-25°52'58."5	0. ^d 38551	724.7253	17. ^m 71	1. ^m 82	0. ^m 16	EW
MM7-B V105	18 ^h 11 ^m 12. ^s 51	-26°02'45."5	0. ^d 38267	724.5187	17. ^m 75	—	0. ^m 26	EW
MM7-B V106	18 ^h 11 ^m 30. ^s 38	-25°58'18."8	1. ^d 18611	723.7498	17. ^m 74	1. ^m 52	1. ^m 17	EA
MM7-B V107	18 ^h 11 ^m 53. ^s 54	-25°53'07."1	1. ^d 47509	723.8683	17. ^m 77	1. ^m 59	0. ^m 72	EA
MM7-B V108	18 ^h 12 ^m 05. ^s 74	-25°49'35."1	0. ^d 83190	723.9793	17. ^m 76	2. ^m 03	0. ^m 27	EW
MM7-B V109	18 ^h 11 ^m 29. ^s 63	-25°52'44."3	0. ^d 62422	724.1470	17. ^m 83	1. ^m 60	0. ^m 47	EW
MM7-B V111	18 ^h 12 ^m 01. ^s 39	-25°51'07."6	0. ^d 43970	724.5676	17. ^m 86	1. ^m 96	0. ^m 18	EW
MM7-B V112	18 ^h 12 ^m 06. ^s 58	-25°53'55."4	0. ^d 53901	724.7383	17. ^m 88	1. ^m 47	0. ^m 40	EW

Table 10
Miscellaneous Variable Stars in the MM5-A field

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM5-A V1	17 ^h 47 ^m 57. ^s 55	-34°47'34."6	15. ^d 34369	720.1868	14. ^m 48	—	0. ^m 20	MISC
MM5-A V2	17 ^h 47 ^m 26. ^s 43	-34°46'08."4	19. ^d 31698	710.9421	14. ^m 64	2. ^m 13	0. ^m 10	MISC
MM5-A V4	17 ^h 47 ^m 45. ^s 72	-34°39'43."9	16. ^d 80174	715.5693	14. ^m 92	2. ^m 10	0. ^m 09	MISC
MM5-A V5	17 ^h 47 ^m 19. ^s 74	-34°51'42."0	58. ^d 24145	692.6656	15. ^m 02	1. ^m 88	0. ^m 11	MISC?
MM5-A V8	17 ^h 46 ^m 57. ^s 47	-34°43'26."1	35. ^d 31804	682.4152	15. ^m 19	2. ^m 10	0. ^m 06	MISC
MM5-A V10	17 ^h 47 ^m 19. ^s 51	-34°42'39."9	8. ^d 77242	714.8031	15. ^m 29	1. ^m 92	0. ^m 11	MISC Ell
MM5-A V11	17 ^h 47 ^m 27. ^s 34	-34°40'44."9	43. ^d 97888	669.7544	15. ^m 29	1. ^m 97	0. ^m 10	MISC
MM5-A V12	17 ^h 46 ^m 54. ^s 45	-34°51'10."4	18. ^d 77799	699.3111	15. ^m 34	1. ^m 98	0. ^m 07	MISC
MM5-A V16	17 ^h 47 ^m 20. ^s 31	-34°46'34."9	35. ^d 47142	689.2806	15. ^m 50	1. ^m 81	0. ^m 07	MISC
MM5-A V17	17 ^h 46 ^m 51. ^s 07	-34°44'03."1	61. ^d 04553	636.5217	15. ^m 52	2. ^m 27	0. ^m 07	MISC
MM5-A V25	17 ^h 47 ^m 17. ^s 99	-34°49'20."6	79. ^d 74705	715.3310	15. ^m 71	1. ^m 87	0. ^m 08	MISC?
MM5-A V26	17 ^h 46 ^m 51. ^s 46	-34°44'11."0	1. ^d 25830	723.4240	15. ^m 79	1. ^m 49	0. ^m 05	MISC Ell
MM5-A V28	17 ^h 47 ^m 29. ^s 05	-34°41'38."9	3. ^d 91319	720.9544	15. ^m 92	1. ^m 81	0. ^m 09	MISC Ell
MM5-A V29	17 ^h 47 ^m 14. ^s 63	-34°49'38."7	57. ^d 32960	681.3623	15. ^m 95	1. ^m 84	0. ^m 07	MISC
MM5-A V31	17 ^h 47 ^m 50. ^s 86	-34°42'50."1	53. ^d 21159	665.1449	15. ^m 98	1. ^m 99	0. ^m 07	MISC
MM5-A V34	17 ^h 46 ^m 55. ^s 09	-34°48'37."1	43. ^d 31103	671.8407	16. ^m 04	1. ^m 98	0. ^m 12	MISC
MM5-A V35	17 ^h 47 ^m 14. ^s 27	-34°48'59."3	88. ^d 35642	632.2785	16. ^m 06	2. ^m 12	0. ^m 05	MISC
MM5-A V36	17 ^h 47 ^m 24. ^s 77	-34°47'50."8	26. ^d 21586	697.4730	16. ^m 07	1. ^m 95	0. ^m 10	MISC
MM5-A V38	17 ^h 46 ^m 49. ^s 15	-34°46'52."1	6. ^d 67956	720.5642	16. ^m 10	1. ^m 98	0. ^m 06	MISC Ell
MM5-A V40	17 ^h 47 ^m 34. ^s 88	-34°49'28."5	43. ^d 25671	686.0514	16. ^m 13	1. ^m 77	0. ^m 11	MISC
MM5-A V45	17 ^h 47 ^m 51. ^s 79	-34°51'36."3	55. ^d 92483	622.4993	16. ^m 26	1. ^m 84	0. ^m 20	MISC
MM5-A V48	17 ^h 46 ^m 58. ^s 63	-34°52'09."6	7. ^d 69846	723.1086	16. ^m 38	1. ^m 84	0. ^m 05	MISC Ell
MM5-A V49	17 ^h 46 ^m 53. ^s 75	-34°49'41."3	4. ^d 94278	718.6308	16. ^m 39	1. ^m 86	0. ^m 07	MISC Ell
MM5-A V51	17 ^h 46 ^m 47. ^s 44	-34°46'19."8	41. ^d 34797	661.9810	16. ^m 46	2. ^m 04	0. ^m 15	MISC
MM5-A V52	17 ^h 46 ^m 56. ^s 95	-34°41'58."6	73. ^d 11095	587.8120	16. ^m 46	2. ^m 03	0. ^m 10	MISC
MM5-A V53	17 ^h 47 ^m 54. ^s 27	-34°47'30."4	19. ^d 65737	688.3618	16. ^m 48	2. ^m 11	0. ^m 19	MISC
MM5-A V58	17 ^h 47 ^m 26. ^s 43	-34°44'29."5	12. ^d 40629	716.5749	16. ^m 56	1. ^m 93	0. ^m 18	MISC
MM5-A V59	17 ^h 47 ^m 05. ^s 03	-34°41'40."2	27. ^d 58159	710.0329	16. ^m 61	2. ^m 20	0. ^m 13	MISC
MM5-A V61	17 ^h 46 ^m 59. ^s 31	-34°39'49."4	5. ^d 66369	723.5817	16. ^m 64	2. ^m 21	0. ^m 09	MISC
MM5-A V62	17 ^h 47 ^m 10. ^s 42	-34°51'06."1	65. ^d 24660	714.9070	16. ^m 66	1. ^m 62	0. ^m 09	MISC
MM5-A V65	17 ^h 47 ^m 07. ^s 18	-34°41'04."9	67. ^d 31000	612.9922	16. ^m 67	1. ^m 94	0. ^m 09	MISC
MM5-A V68	17 ^h 46 ^m 46. ^s 30	-34°40'16."3	48. ^d 82109	642.2903	16. ^m 73	1. ^m 91	0. ^m 09	MISC
MM5-A V70	17 ^h 47 ^m 51. ^s 69	-34°43'41."0	63. ^d 94684	643.2413	16. ^m 75	1. ^m 56	0. ^m 08	MISC
MM5-A V73	17 ^h 47 ^m 39. ^s 69	-34°50'57."0	23. ^d 25497	711.4393	16. ^m 95	1. ^m 72	0. ^m 16	MISC
MM5-A V77	17 ^h 47 ^m 46. ^s 81	-34°40'16."1	76. ^d 34363	648.3101	16. ^m 98	1. ^m 93	0. ^m 11	MISC
MM5-A V81	17 ^h 47 ^m 46. ^s 91	-34°47'09."6	21. ^d 15447	716.6288	17. ^m 07	1. ^m 93	0. ^m 10	MISC
MM5-A V82	17 ^h 47 ^m 01. ^s 43	-34°48'12."3	21. ^d 15029	715.3874	17. ^m 09	1. ^m 96	0. ^m 09	MISC
MM5-A V86	17 ^h 47 ^m 30. ^s 91	-34°46'25."5	4. ^d 30132	718.4917	17. ^m 19	1. ^m 48	0. ^m 08	MISC Ell
MM5-A V87	17 ^h 47 ^m 35. ^s 10	-34°43'13."1	49. ^d 99568	667.8423	17. ^m 19	1. ^m 87	0. ^m 15	MISC
MM5-A V93	17 ^h 47 ^m 02. ^s 54	-34°43'50."3	98. ^d 58312	658.3381	17. ^m 35	1. ^m 91	0. ^m 12	MISC
MM5-A V97	17 ^h 47 ^m 07. ^s 18	-34°48'59."0	7. ^d 04125	715.9402	17. ^m 39	1. ^m 96	0. ^m 16	MISC
MM5-A V99	17 ^h 46 ^m 55. ^s 58	-34°44'44."4	70. ^d 44029	650.6570	17. ^m 43	1. ^m 69	0. ^m 10	MISC
MM5-A V110	17 ^h 47 ^m 12. ^s 29	-34°52'07."3	67. ^d 77633	676.2722	17. ^m 53	1. ^m 71	0. ^m 11	MISC

Table 11
Miscellaneous Variable Stars in the MM5-B field

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM5-B V1	17 ^h 47 ^m 02. ^s 98	-35°02'17."1	79. ^d 92082	687.4789	13. ^m 59	2. ^m 93	0. ^m 07	MISC
MM5-B V3	17 ^h 47 ^m 04. ^s 77	-35°03'42."4	5. ^d 97944	717.6404	14. ^m 86	1. ^m 80	0. ^m 11	MISC
MM5-B V6	17 ^h 47 ^m 37. ^s 01	-34°57'05."1	33. ^d 46190	674.9934	15. ^m 01	1. ^m 83	0. ^m 07	MISC
MM5-B V9	17 ^h 47 ^m 54. ^s 69	-34°58'13."7	7. ^d 73015	711.9391	15. ^m 31	1. ^m 75	0. ^m 09	MISC
MM5-B V11	17 ^h 47 ^m 05. ^s 80	-35°00'05."3	36. ^d 78492	672.5019	15. ^m 49	1. ^m 93	0. ^m 10	MISC
MM5-B V12	17 ^h 47 ^m 41. ^s 89	-34°54'49."2	33. ^d 10852	672.5665	15. ^m 52	1. ^m 66	0. ^m 13	MISC
MM5-B V15	17 ^h 47 ^m 04. ^s 69	-34°56'40."3	35. ^d 44129	694.5430	15. ^m 56	2. ^m 05	0. ^m 04	MISC
MM5-B V16	17 ^h 47 ^m 58. ^s 82	-35°01'52."8	70. ^d 67611	651.9871	15. ^m 56	2. ^m 05	0. ^m 18	MISC
MM5-B V17	17 ^h 47 ^m 57. ^s 30	-34°57'53."3	8. ^d 48006	715.0895	15. ^m 59	1. ^m 95	0. ^m 10	MISC Ell
MM5-B V22	17 ^h 47 ^m 23. ^s 48	-34°56'18."7	50. ^d 13357	669.9349	15. ^m 70	1. ^m 77	0. ^m 05	MISC
MM5-B V26	17 ^h 47 ^m 57. ^s 88	-35°01'46."8	26. ^d 66271	714.9872	15. ^m 80	1. ^m 94	0. ^m 05	MISC
MM5-B V33	17 ^h 47 ^m 49. ^s 94	-35°03'48."7	40. ^d 80100	661.9962	15. ^m 98	1. ^m 88	0. ^m 08	MISC
MM5-B V34	17 ^h 47 ^m 31. ^s 72	-34°56'40."7	62. ^d 76752	665.0219	16. ^m 00	1. ^m 62	0. ^m 09	MISC
MM5-B V37	17 ^h 47 ^m 05. ^s 68	-35°01'10."5	32. ^d 91320	704.7045	16. ^m 09	2. ^m 02	0. ^m 06	MISC
MM5-B V39	17 ^h 46 ^m 50. ^s 02	-34°58'26."4	46. ^d 33294	664.1364	16. ^m 10	1. ^m 99	0. ^m 09	MISC
MM5-B V42	17 ^h 46 ^m 48. ^s 04	-34°52'52."7	86. ^d 20729	654.4857	16. ^m 19	1. ^m 96	0. ^m 10	MISC
MM5-B V45	17 ^h 47 ^m 41. ^s 75	-35°01'11."5	68. ^d 93781	643.4655	16. ^m 24	1. ^m 71	0. ^m 10	MISC
MM5-B V48	17 ^h 47 ^m 27. ^s 86	-34°59'19."0	17. ^d 97874	708.4882	16. ^m 27	1. ^m 82	0. ^m 08	MISC
MM5-B V50	17 ^h 47 ^m 18. ^s 98	-34°57'58."1	7. ^d 11540	711.7819	16. ^m 29	1. ^m 78	0. ^m 05	MISC Ell
MM5-B V52	17 ^h 47 ^m 28. ^s 11	-35°00'12."5	74. ^d 74875	614.2105	16. ^m 29	1. ^m 82	0. ^m 05	MISC?
MM5-B V54	17 ^h 47 ^m 24. ^s 61	-34°54'22."5	28. ^d 77565	694.8456	16. ^m 33	1. ^m 84	0. ^m 24	MISC
MM5-B V57	17 ^h 47 ^m 09. ^s 76	-35°03'40."2	51. ^d 92592	660.8093	16. ^m 48	1. ^m 73	0. ^m 08	MISC
MM5-B V59	17 ^h 47 ^m 19. ^s 32	-34°59'55."8	5. ^d 20098	719.2435	16. ^m 52	1. ^m 86	0. ^m 10	MISC
MM5-B V63	17 ^h 46 ^m 58. ^s 11	-34°59'20."5	3. ^d 57722	719.5471	16. ^m 57	1. ^m 36	0. ^m 06	MISC Ell
MM5-B V64	17 ^h 47 ^m 06. ^s 44	-34°56'05."8	61. ^d 59673	661.9801	16. ^m 59	—	0. ^m 06	MISC
MM5-B V69	17 ^h 47 ^m 42. ^s 01	-34°52'55."4	17. ^d 91553	703.0233	16. ^m 63	1. ^m 81	0. ^m 09	MISC
MM5-B V75	17 ^h 47 ^m 38. ^s 74	-34°54'57."4	36. ^d 28320	653.3153	16. ^m 81	1. ^m 91	0. ^m 17	MISC
MM5-B V77	17 ^h 46 ^m 54. ^s 68	-34°57'10."9	22. ^d 80114	687.3176	16. ^m 84	2. ^m 07	0. ^m 14	MISC
MM5-B V79	17 ^h 46 ^m 58. ^s 24	-34°54'22."1	49. ^d 83274	667.9082	16. ^m 84	1. ^m 92	0. ^m 11	MISC
MM5-B V81	17 ^h 47 ^m 39. ^s 28	-34°59'34."2	24. ^d 73183	713.7606	16. ^m 88	1. ^m 82	0. ^m 22	MISC
MM5-B V83	17 ^h 46 ^m 56. ^s 40	-35°02'06."6	20. ^d 39376	711.5995	16. ^m 94	2. ^m 13	0. ^m 12	MISC
MM5-B V87	17 ^h 47 ^m 46. ^s 49	-35°00'31."4	57. ^d 30067	683.5397	16. ^m 99	1. ^m 35	0. ^m 11	MISC
MM5-B V91	17 ^h 47 ^m 04. ^s 97	-34°57'12."5	64. ^d 35256	681.6867	17. ^m 09	1. ^m 77	0. ^m 11	MISC
MM5-B V97	17 ^h 47 ^m 34. ^s 86	-35°03'09."7	15. ^d 24414	713.9745	17. ^m 16	1. ^m 77	0. ^m 08	MISC Ell
MM5-B V111	17 ^h 47 ^m 25. ^s 85	-35°02'24."5	50. ^d 75667	667.9578	17. ^m 38	1. ^m 83	0. ^m 13	MISC
MM5-B V125	17 ^h 47 ^m 39. ^s 38	-34°55'59."2	9. ^d 05663	715.8270	17. ^m 56	1. ^m 71	0. ^m 09	MISC Ell

Table 12
Miscellaneous Variable Stars in the MM7-A field

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-A V1	18 ^h 10 ^m 48. ^s 94	-25°47'12."3	18. ^d 29324	697.5578	14. ^m 20	2. ^m 05	0. ^m 09	MISC
MM7-A V3	18 ^h 10 ^m 32. ^s 26	-25°54'34."5	2. ^d 62541	724.0224	14. ^m 81	1. ^m 47	0. ^m 08	MISC
MM7-A V4	18 ^h 10 ^m 21. ^s 25	-25°55'59."9	57. ^d 00208	642.6414	14. ^m 84	1. ^m 89	0. ^m 12	MISC
MM7-A V5	18 ^h 11 ^m 05. ^s 50	-26°01'17."6	51. ^d 79081	652.1499	14. ^m 89	—	0. ^m 06	MISC
MM7-A V7	18 ^h 10 ^m 27. ^s 96	-25°49'26."3	12. ^d 41680	714.8600	15. ^m 06	2. ^m 23	0. ^m 07	MISC Ell?
MM7-A V8	18 ^h 10 ^m 18. ^s 67	-25°51'46."8	37. ^d 23882	690.1098	15. ^m 12	2. ^m 15	0. ^m 19	MISC
MM7-A V11	18 ^h 11 ^m 04. ^s 69	-25°57'22."1	5. ^d 87067	718.6815	15. ^m 27	2. ^m 09	0. ^m 11	MISC Ell
MM7-A V18	18 ^h 11 ^m 16. ^s 02	-26°01'11."1	56. ^d 15136	638.0479	15. ^m 50	—	0. ^m 12	MISC
MM7-A V21	18 ^h 11 ^m 15. ^s 81	-25°55'57."0	32. ^d 56421	708.6949	15. ^m 53	1. ^m 80	0. ^m 11	MISC
MM7-A V24	18 ^h 10 ^m 40. ^s 52	-26°01'37."1	27. ^d 93680	698.1406	15. ^m 57	1. ^m 83	0. ^m 17	MISC
MM7-A V28	18 ^h 10 ^m 31. ^s 46	-25°53'53."7	34. ^d 05167	713.9273	15. ^m 65	2. ^m 16	0. ^m 14	MISC
MM7-A V30	18 ^h 10 ^m 24. ^s 91	-25°55'42."8	34. ^d 80215	683.8622	15. ^m 71	1. ^m 97	0. ^m 09	MISC
MM7-A V32	18 ^h 11 ^m 06. ^s 36	-25°54'54."9	36. ^d 19661	688.8215	15. ^m 73	2. ^m 14	0. ^m 28	MISC
MM7-A V36	18 ^h 10 ^m 36. ^s 83	-25°47'26."3	13. ^d 80562	713.7782	15. ^m 75	1. ^m 96	0. ^m 23	MISC
MM7-A V37	18 ^h 10 ^m 42. ^s 69	-25°56'44."2	32. ^d 46854	711.0935	15. ^m 87	1. ^m 99	0. ^m 12	MISC
MM7-A V39	18 ^h 10 ^m 27. ^s 87	-25°49'33."3	61. ^d 05373	631.4177	15. ^m 87	2. ^m 38	0. ^m 11	MISC
MM7-A V45	18 ^h 10 ^m 28. ^s 22	-25°49'51."1	49. ^d 78092	663.7788	16. ^m 00	2. ^m 18	0. ^m 11	MISC
MM7-A V46	18 ^h 11 ^m 14. ^s 62	-25°58'44."5	20. ^d 17291	702.9856	16. ^m 01	1. ^m 93	0. ^m 10	MISC
MM7-A V49	18 ^h 10 ^m 36. ^s 09	-25°55'35."0	4. ^d 90452	719.5225	16. ^m 06	2. ^m 10	0. ^m 07	MISC Ell?
MM7-A V50	18 ^h 10 ^m 55. ^s 46	-26°01'08."6	3. ^d 80730	720.9313	16. ^m 09	2. ^m 04	0. ^m 08	MISC Ell?
MM7-A V51	18 ^h 11 ^m 21. ^s 77	-25°49'34."2	88. ^d 47841	654.2978	16. ^m 15	—	0. ^m 12	MISC
MM7-A V54	18 ^h 10 ^m 46. ^s 00	-25°55'30."4	76. ^d 15059	668.9068	16. ^m 19	2. ^m 05	0. ^m 12	MISC
MM7-A V55	18 ^h 11 ^m 01. ^s 55	-25°56'39."0	79. ^d 70358	688.3998	16. ^m 20	1. ^m 83	0. ^m 08	MISC?
MM7-A V56	18 ^h 10 ^m 18. ^s 45	-25°51'22."4	97. ^d 40697	615.4172	16. ^m 22	1. ^m 27	0. ^m 05	MISC?
MM7-A V57	18 ^h 10 ^m 36. ^s 80	-25°50'13."8	47. ^d 21467	688.2482	16. ^m 21	2. ^m 04	0. ^m 11	MISC
MM7-A V58	18 ^h 11 ^m 20. ^s 57	-25°52'42."6	17. ^d 50121	706.6113	16. ^m 24	2. ^m 07	0. ^m 05	MISC
MM7-A V59	18 ^h 10 ^m 51. ^s 84	-25°54'29."7	36. ^d 81445	672.8945	16. ^m 25	2. ^m 06	0. ^m 09	MISC
MM7-A V60	18 ^h 10 ^m 38. ^s 07	-25°52'54."4	15. ^d 69266	713.3726	16. ^m 28	1. ^m 94	0. ^m 08	MISC
MM7-A V64	18 ^h 10 ^m 44. ^s 40	-25°48'29."5	65. ^d 67404	679.4636	16. ^m 40	2. ^m 03	0. ^m 08	MISC
MM7-A V65	18 ^h 11 ^m 02. ^s 44	-25°54'44."7	21. ^d 42106	698.9478	16. ^m 44	2. ^m 09	0. ^m 18	MISC
MM7-A V66	18 ^h 10 ^m 29. ^s 46	-25°57'02."0	14. ^d 25361	698.7405	16. ^m 49	1. ^m 87	0. ^m 07	MISC
MM7-A V69	18 ^h 10 ^m 38. ^s 25	-25°48'34."8	53. ^d 71019	693.7745	16. ^m 54	2. ^m 03	0. ^m 10	MISC
MM7-A V71	18 ^h 10 ^m 25. ^s 12	-25°59'17."6	87. ^d 63187	644.7077	16. ^m 57	1. ^m 79	0. ^m 20	MISC
MM7-A V73	18 ^h 11 ^m 18. ^s 34	-25°58'21."5	8. ^d 71424	716.5284	16. ^m 64	2. ^m 00	0. ^m 15	MISC
MM7-A V75	18 ^h 10 ^m 56. ^s 76	-25°49'04."9	2. ^d 12521	723.2387	16. ^m 69	1. ^m 87	0. ^m 13	MISC
MM7-A V76	18 ^h 11 ^m 07. ^s 58	-26°00'31."7	5. ^d 21887	715.1418	16. ^m 71	1. ^m 83	0. ^m 06	MISC Ell
MM7-A V79	18 ^h 10 ^m 46. ^s 73	-25°48'21."7	11. ^d 19201	706.6635	16. ^m 78	1. ^m 75	0. ^m 08	MISC
MM7-A V91	18 ^h 10 ^m 40. ^s 73	-25°57'58."9	66. ^d 80679	616.2926	16. ^m 89	1. ^m 68	0. ^m 07	MISC
MM7-A V92	18 ^h 10 ^m 38. ^s 33	-25°51'03."0	46. ^d 81992	657.3049	16. ^m 88	2. ^m 02	0. ^m 14	MISC
MM7-A V93	18 ^h 10 ^m 24. ^s 91	-25°53'59."0	4. ^d 39503	720.3674	16. ^m 90	1. ^m 96	0. ^m 09	MISC

Table 12
Concluded

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-A V100	18 ^h 10 ^m 32. ^s 31	-25°48'19."7	19. ^d 91045	708.9116	16. ^m 98	2. ^m 15	0. ^m 09	MISC
MM7-A V109	18 ^h 10 ^m 24. ^s 64	-25°48'07."1	12. ^d 01375	720.1642	17. ^m 08	2. ^m 16	0. ^m 24	MISC
MM7-A V114	18 ^h 10 ^m 19. ^s 51	-25°54'30."8	11. ^d 95630	712.6553	17. ^m 14	1. ^m 92	0. ^m 29	MISC
MM7-A V115	18 ^h 11 ^m 20. ^s 37	-25°50'35."1	10. ^d 50578	723.4280	17. ^m 14	2. ^m 06	0. ^m 17	MISC
MM7-A V116	18 ^h 11 ^m 08. ^s 89	-25°50'49."3	62. ^d 00406	629.9613	17. ^m 17	2. ^m 01	0. ^m 11	MISC
MM7-A V119	18 ^h 11 ^m 16. ^s 57	-25°58'48."3	5. ^d 97073	722.0105	17. ^m 21	1. ^m 87	0. ^m 11	MISC
MM7-A V127	18 ^h 11 ^m 00. ^s 68	-25°51'49."7	4. ^d 15177	719.8297	17. ^m 28	2. ^m 01	0. ^m 22	MISC
MM7-A V133	18 ^h 10 ^m 33. ^s 44	-25°48'58."6	66. ^d 98893	665.4010	17. ^m 36	2. ^m 09	0. ^m 11	MISC
MM7-A V146	18 ^h 10 ^m 50. ^s 14	-25°50'49."0	15. ^d 88959	702.3993	17. ^m 50	2. ^m 21	0. ^m 19	MISC
MM7-A V149	18 ^h 10 ^m 22. ^s 33	-25°48'23."4	78. ^d 83283	634.9984	17. ^m 52	2. ^m 10	0. ^m 08	MISC
MM7-A V155	18 ^h 10 ^m 32. ^s 59	-25°50'25."5	66. ^d 58912	614.2846	17. ^m 65	1. ^m 99	0. ^m 18	MISC
MM7-A V159	18 ^h 10 ^m 56. ^s 54	-25°52'51."4	26. ^d 02642	694.3328	17. ^m 69	2. ^m 03	0. ^m 20	MISC
MM7-A V160	18 ^h 10 ^m 39. ^s 53	-25°57'08."7	2. ^d 31436	723.3578	17. ^m 70	1. ^m 91	0. ^m 09	MISC
MM7-A V161	18 ^h 10 ^m 38. ^s 99	-25°55'13."1	5. ^d 31394	717.8070	17. ^m 71	1. ^m 62	0. ^m 13	MISC
MM7-A V175	18 ^h 10 ^m 54. ^s 37	-25°51'05."7	4. ^d 74471	717.3242	17. ^m 82	1. ^m 86	0. ^m 13	MISC
MM7-A V178	18 ^h 11 ^m 00. ^s 94	-25°49'05."2	11. ^d 77769	709.5940	17. ^m 83	1. ^m 93	0. ^m 36	MISC

Table 12
Miscellaneous Variable Stars in the MM7-B field

Star ID OGLE	α_{2000}	δ_{2000}	P	$T_0 -$ 2 448 000	I	$(V-I)$	ΔI	Type
MM7-B V1	18 ^h 12 ^m 00. ^s 47	-25°52'01."7	12. ^d 10997	709.4626	13. ^m 69	1. ^m 96	0. ^m 16	MISC
MM7-B V2	18 ^h 11 ^m 30. ^s 16	-25°55'48."4	62. ^d 85072	665.5263	14. ^m 72	2. ^m 13	0. ^m 05	MISC
MM7-B V4	18 ^h 11 ^m 50. ^s 60	-25°57'52."5	57. ^d 55825	650.5233	15. ^m 04	2. ^m 24	0. ^m 12	MISC
MM7-B V5	18 ^h 11 ^m 45. ^s 56	-26°01'08."6	14. ^d 47485	717.5038	15. ^m 30	2. ^m 05	0. ^m 08	MISC
MM7-B V10	18 ^h 11 ^m 49. ^s 24	-25°56'44."9	23. ^d 21652	706.2233	15. ^m 54	2. ^m 14	0. ^m 04	MISC
MM7-B V15	18 ^h 11 ^m 26. ^s 29	-25°55'06."8	39. ^d 36907	679.5495	15. ^m 67	1. ^m 90	0. ^m 06	MISC
MM7-B V17	18 ^h 11 ^m 30. ^s 00	-25°50'04."2	15. ^d 52594	704.0393	15. ^m 70	1. ^m 96	0. ^m 07	MISC
MM7-B V20	18 ^h 11 ^m 25. ^s 89	-25°58'16."2	25. ^d 24915	695.9676	15. ^m 80	2. ^m 20	0. ^m 18	MISC
MM7-B V24	18 ^h 11 ^m 59. ^s 46	-25°58'05."3	32. ^d 66543	704.2667	15. ^m 88	1. ^m 98	0. ^m 08	MISC
MM7-B V25	18 ^h 11 ^m 29. ^s 72	-25°54'49."0	30. ^d 52108	671.8911	16. ^m 02	2. ^m 23	0. ^m 08	MISC
MM7-B V27	18 ^h 11 ^m 52. ^s 54	-25°51'39."7	44. ^d 49107	711.0563	16. ^m 07	2. ^m 18	0. ^m 30	MISC
MM7-B V28	18 ^h 11 ^m 54. ^s 21	-26°01'12."7	71. ^d 22289	649.1966	16. ^m 15	2. ^m 04	0. ^m 14	MISC
MM7-B V32	18 ^h 11 ^m 11. ^s 04	-25°50'13."5	81. ^d 26802	603.5776	16. ^m 38	1. ^m 94	0. ^m 16	MISC
MM7-B V36	18 ^h 11 ^m 43. ^s 15	-25°55'40."8	13. ^d 74095	706.3123	16. ^m 50	1. ^m 96	0. ^m 15	MISC
MM7-B V42	18 ^h 11 ^m 26. ^s 53	-25°53'29."5	78. ^d 68083	674.5308	16. ^m 56	1. ^m 93	0. ^m 05	MISC
MM7-B V45	18 ^h 11 ^m 29. ^s 24	-25°56'60."0	81. ^d 84352	615.4633	16. ^m 60	1. ^m 92	0. ^m 05	MISC
MM7-B V48	18 ^h 11 ^m 46. ^s 54	-25°52'30."1	45. ^d 84836	658.8868	16. ^m 63	2. ^m 19	0. ^m 20	MISC
MM7-B V52	18 ^h 11 ^m 47. ^s 80	-25°55'41."2	53. ^d 13401	655.7799	16. ^m 78	1. ^m 97	0. ^m 21	MISC
MM7-B V57	18 ^h 11 ^m 44. ^s 77	-25°50'51."2	3. ^d 53921	719.6276	16. ^m 86	1. ^m 83	0. ^m 15	MISC
MM7-B V66	18 ^h 11 ^m 50. ^s 06	-25°53'25."2	9. ^d 07885	716.6935	17. ^m 09	2. ^m 07	0. ^m 15	MISC
MM7-B V72	18 ^h 11 ^m 45. ^s 36	-25°52'48."8	2. ^d 57333	720.9853	17. ^m 24	2. ^m 24	0. ^m 07	MISC
MM7-B V76	18 ^h 11 ^m 41. ^s 98	-25°54'16."8	73. ^d 66244	635.3385	17. ^m 27	1. ^m 88	0. ^m 11	MISC
MM7-B V79	18 ^h 11 ^m 21. ^s 90	-25°56'46."0	4. ^d 02451	722.0575	17. ^m 32	2. ^m 24	0. ^m 09	MISC
MM7-B V95	18 ^h 12 ^m 09. ^s 50	-25°53'22."2	5. ^d 18946	719.7677	17. ^m 60	2. ^m 07	0. ^m 13	MISC
MM7-B V102	18 ^h 11 ^m 58. ^s 87	-25°59'20."7	6. ^d 98992	717.2287	17. ^m 69	1. ^m 95	0. ^m 11	MISC
MM7-B V110	18 ^h 11 ^m 52. ^s 32	-26°00'05."8	31. ^d 02846	693.3620	17. ^m 82	2. ^m 12	0. ^m 15	MISC

REFERENCES

- Kholopov, P.N. et al., 1985, "General Catalogue of Variable Stars. The Fourth Edition", Nauka, Moscow
- Lasker, B.M. et al., 1988, ApJS, 68, 1
- Paczyński, B., 1986, ApJ, 304, 1
- Udalski, A., Szymański, M., Stanek, K.Z., Kałużny, J., Kubiak, M., Mateo, M., Krzemiński, W., Paczyński, B., and Venkat, R. 1994a, Acta Astron., 44, 165
- Udalski, A., Kubiak, M., Kałużny, J., Szymański, M., Mateo, M., and Krzemiński, W., 1994b, Acta Astron., 44, 317 (Paper I)
- Udalski, A., Szymański, M., Kałużny, J., Kubiak, M., Mateo, M., and Krzemiński, W., 1995a, Acta Astron., 45, 1 (Paper II)
- Udalski, A., Olech, A., Szymański, M., Kałużny, J., Kubiak, M., Mateo, M., and Krzemiński, W., 1995b, Acta Astron., 45, 433 (Paper III)
- Udalski, A., Olech, A., Szymański, M., Kałużny, J., Kubiak, M., Mateo, M., Krzemiński, W. and Stanek K.Z., 1996, Acta Astron., 46, 51 (Paper IV)